County: Butler	Fraction SE SE NW SE	Sec/7T 27S _ R 3 Bw
CORRECTION OWNER: H & H Home	tion(s) TO WATER WELL COMP (to rectify lacking or incorrect	, ,
Location was listed as:		Location changed to:
Section-Township-Range:	17-275-3E	17-275-3E
Fraction (1/4 1/4 1/4):	SE NE SE	
Other changes: Initial statements:		
Changed to:		
Comments:		
Verification method: Wells	site address, ar on KGS websit	ea road map, and
•		initials: date: 1/20/20/2
		Instant Ave., Lawrence, KS 66047-3726 / son, Suite 420, Topeka, KS 66612-1367.

Form WWC-5 KSA 82a-1212 WATER WELL RECORD 1 LOCATION OF WATER WELL: SECTION NUMBER TOWNSHIP NUMBER RANGE NUMBER FRACTION **Butler** SE NESE 17 Т 27 3E S R E/W 1/4 1/4 1/4 Distance and direction from nearest town or city street address of well if located within city? 710 Deerfield Andover, Kansas H & H HOMEBUILDERS INC. WATER WELL OWNER Board of Agriculture, Division of Water Resource RR#,ST. ADDRESS,BOX # 3906 N. Lakefield Wichita, Kansas CITY, STATE: ZIP CODE Application Number 97 4 DEPTH OF COMPLETED WELL: ELEVATION: ft. LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: Depth of groundwater Encountered: ft. ft fŧ WELL'S STATIC WATER LEVEL 30 FT. BELOW LAND SURFACE MEASURED ON mo/day/yr: 8/15/14 Pump test data: Well water was ft. after hours of pumping @ gpm NW NE Est. Yield: Well water was ft. after hours of pumping @ gpm apm Φ ž 12 to 97 Bore Hole Diameter and ft. WELL WATER TO BE USED AS: 11. Injection well 9. Dewatering 5. Public water supply 7. Lawn and garden only SW SE 3. Feedlot 1. Domestic 12. Other (Specify below) 10. Monitoring well 6. Oil field water supply 8. Air conditioning 2. Irrigation 4. Industrial ; If yes, what mo/day/yr was sample Was a chemical/bacteriological sample submitted to Department? (NO S Was Water Well Disinfected? (YES) submitted 5 TYPE OF CASING USED: CASING JOINTS: Glued 9. Other (Specify below) Threaded 7. Fiberglass 5. Wrought Iron 3. RPM (SR) 1. Steel Welded Clamped SDR-26 8. Concrete tile Asbestos-Cement 2. PVC 4. ABS Blank casing diameter 5 45 Dia. Dia ft. to in 12 Casing height above land surface: Weight: 2.35 lbs. / ft. Wall thickness or gauge No. in.. .214 TYPE OF SCREEN OR PERFORATION MATERIAL: 7. PVC 9. ABS 11. Other (specify) 3 Stainless Steel 5. Fiberglass 1. Steel 6. Concrete Tile 8. RMP (SR) 12. None used (open hole) 2. Brass 4. Galvanized 10. Asbestos-Cement SCREEN OR PERFORATION OPENINGS ARE: 3. Mill slot 5. Gauzed wrapped 7. Torch cut 9. Drilled holes 11. None (open hole) 1. Continuous slot 10. Other (specify) 8. Saw cut 6. Wire wrapped 2. Louvered shutter 4. Key punched SCREEN - PERFORATION INTERVAL 45 ft. From to ft., From to ft. ft From to ft., From to ft. 24 GRAVEL PACK INTERVALS: 97 From to ft., From ft. ft. From ft. to ft., From ft to ft. GROUT MATERIALS: 6 Other 2. Cement Grout bentonite hole plug 1. Neat cement 3. Bentonite Grout Intervals: 24 From ft.. ft. ft.. From ft to What is the nearest source of possible contamination: 7. Pit privy 10. Livestock pens 15. Oil well/Gas well 13. Insecticide storage 1. Septic tank 4. Lateral lines 16. Other (specify below) 8. Sewage lagoon 11. Fuel storage 14. Abandon water well 5. Cess Pool 2. Sewer lines 12. Fertilizer storage 6. Seepage pit 9. Feed yard 3. Watertight sewer line West Direction from well? How many feet? 10 ft. plus LITHOLOGIC LOG From Τо From Τо LITHOLOGIC LOG topsoil 10 clay 10 97 grey shale

Contractor's or Landowner's Certification: This water well was 1. constructed 2, reconstructed or 3. under my jurisdiction and

Kansas Water Well Contractor's License No. 236

was completed on (mo/day/year)

and this record is true to the best of my knowledge and belief. This water well record was completed on (mo/day/year)

under the business name of Harp Well and Pump Service

8/15/2014

by (signature)

Todd S. Harb