WATER	WEL	L RECORD	Form W	VC-5			r Resources App. No		
1 LOCATION OF WATER WELL:		Fraction 1/4 SW 1/4 NE 1/4			Section Number Township No. Range Number T 27 S R 3 TE				
County: Butler									
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here						Global Positioning System (GPS) information: Latitude:			
ITOIII nearest town of intersection. If at owner 5 address, cheek here					Longitude: (in decimal degrees)				
710 W. Sandstone Andover, KS 67002					Elevation:				
2 WATER WELL OWNER: Zimbelman Construction					Collection Method:				
RR#, Street Address, Box #: 8737 N. Westridge Ct.					☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
City, State, ZIP Code : Wichita. KS 67205					Est. Accuracy:				
A LOCATE WELL									
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 100 II.									
SECTION BOX: Depth(s) Groundwater Encountered (1).57 ft. (2)									
N WELL'S STATIC WATER LEVEL 57									
	Pump test data: Well water wast. after								
	NW NE Para trata Diameter 10 in to 100 ft and in toft.								
W	" WELL WATER TO BE USED AS. Public water supply Geothermal Injection well								
Domestic Feedlot Oil field water supply Dewatering Other (Specify below)									
SWSE									
Was a chemical/bacteriological sample submitted to Department? Yes No									
s If yes, mo/day/yr sample was submitted									
Water well disinfected?									
5 TYPE OF CASING USED: Steel PVC Other									
CASDIC LODIES. P. Clued C. Clamped D. Welder D. Threader									
Casing diameter 5									
Casing height above land surface!Zin., Weight 4.9lbs./ft., Wall thickness or gauge No									
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel PVC Other (Specify)									
Steel									
SCREEN OR PERFORATION OPENINGS ARE:									
☐ Continuous elet ☐ Mill slet ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)									
□ Louvered shutter □ Key punched □ Wire wrapped ☑ Saw cut □ Other (specify)									
From ft to ft. From tt. to π.									
GRAVEL PACK INTERVALS: From 20 ft. to 100 ft., From tt. to tt.									
From ft to ft. From It. to II.									
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From .3									
Grout Intervals: From .3									
What is the nearest source of possible contamination:									
Septic tank							der (appearly bolow)		
	Watertig	ht sewer lines		Fertilizer s	torage [Oil well/g	gas well		
Direc	ction from	· · · · · ·	·	. Distance	from we	11 4 0'			
FROM	TO	LITHOLOG	GIC LOG	FROM	TO	LITHO. L	.OG (cont.) or PLU	JGGING INTERVALS	
0	3	Topsoil		ļ					
3	40	Clay		<u> </u>					
40	100	Limestone							
	ļ			 					
				 	+				
	 			1					
<u></u>	 			 			<u></u>		
<u> </u>	l								
-	 								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☑ constructed, ☐ reconstructed, or ☐ plugged									
under my invitadiction and was completed on (mo/day/year) 05/13/2015 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 238 This Water Well Record was completed on (mo/day/year) 05/13/2015									
da db	a busins	or name of Premier Pu	ımp & vveii Service. I	nc.	by (s	ignature / W.	(みとアンプハス・Pst ・・	ACT 4 . A. V	
	T7 T	Use typewriter or ball point persentment of Health and Enviro	nment Humou At Water (m	NOOV NECTION I	URBINW 3	ackson st. sw	ILC 420. I OUGHA, NAUS	as 00012-1501.	
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at									
http://www.kdheks.gov/waterwell/index.html									