WATER WELL RECORD Form WWC-5 KSA 82a-1212 1 LOCATION OF WATER WELL: SECTION NUMBER TOWNSHIP NUMBER RANGE NUMBER FRACTION SWSW7 27 **3E** E/W NE R Butler 1/4 1/4 Τ S Distance and direction from nearest town or city street address of well if located within city 1401 N. Shadow Rock Dr. Andover, Kansas LEEWOOD HOMES, INC. WATER WELL OWNER: Board of Agriculture, Division of Water Resource 3500 N. Rock Road Building 2200 #204 RR#,ST. ADDRESS,BOX #: CITY, STATE: Wichita, Kansas Application Number ZIP CODE: 78 **ELEVATION:** LOCATE WELL'S LOCATION 4 DEPTH OF COMPLETED WELL: ft. WITH AN "X" IN SECTION BOX: ft. ft. Depth of groundwater Encountered: 27 5/28/15 WELL'S STATIC WATER LEVEL FT. BELOW LAND SURFACE MEASURED ON mo/day/yr: Pump test data: Well water was ft. after hours of pumping @ gpm NE NW gpm Est. Yield: Well water was ft. after hours of pumping @ Φ gpm 78 ≌ Bore Hole Diameter 12 and ft. WELL WATER TO BE USED AS: 11. Injection well 9. Dewatering 5. Public water supply 7. Lawn and garden only SE-1. Domestic 3. Feedlot 12. Other (Specify below) 10. Monitoring well 4. Industrial 6. Oil field water supply 8. Air conditioning 2. Irrigation ; If yes, what mo/day/yr was sample Was a chemical/bacteriological sample submitted to Department? (NO s (YES) Was Water Well Disinfected? submitted TYPE OF CASING USED: CASING JOINTS: Glued Threaded 9. Other (Specify below) 5. Wrought Iron 7. Fiberglass 3. RPM (SR) 1. Steel Welded Clamped SDR-26 8. Concrete tile Asbestos-Cement 2. PVC 4. ABS 5 35 Dia. Dia. ft. Blank casing diameter 12 2.35 in Weight: lbs. / ft. Wall thickness or gauge No. .214 Casing height above land surface: TYPE OF SCREEN OR PERFORATION MATERIAL: 7. PVC 11. Other (specify) 9 ARS 3. Stainless Steel 5. Fiberglass 1. Steel 12. None used (open hole) 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 2. Brass 4. Galvanized SCREEN OR PERFORATION OPENINGS ARE: 9. Drilled holes 11. None (open hole) 3. Mill slot 5. Gauzed wrapped 7. Torch cut 1 Continuous slot 2. Louvered shutter 4. Key punched 6. Wire wrapped 8. Saw cut 10. Other (specify) 35 78 SCREEN - PERFORATION INTERVAL ft., From From to ft. ft. From to ft., From ft. 24 ft. to 78 **GRAVEL PACK INTERVALS:** From ft., From ft. ft. ft. to From ft.. From ft. ft to **GROUT MATERIALS:** Other bentonite hole plug 1. Neat cement 2. Cement Grout 3. Bentonite Grout Intervals: From 4 ft. 24 ft. From ft. From ft. to ft.. What is the nearest source of possible contamination: 10. Livestock pens 15. Oil well/Gas well 7. Pit privy 13. Insecticide storage 4. Lateral lines 1. Septic tank 16. Other (specify below) 8. Sewage lagoon 11. Fuel storage 14. Abandon water well 5. Cess Pool 2. Sewer lines 9. Feed yard 12. Fertilizer storage 6. Seepage pit 3. Watertight sewer line How many feet? 15 ft. plus Direction from well? LITHOLOGIC LOG LITHOLOGIC LOG From To From Τо <u>topsoil</u> 3 10 clay 10 78 gray shale Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or 3. under my jurisdiction and 5/28/2015 and this record is true to the best of my knowledge and belief. was completed on (mo/day/year) This water well record was completed on (mo/day/year) Kansas Water Well Contractor's License No. 236 by (signature) Todd S. Harb under the business name of Harp Well and Pump Service