	WATER WELL	RECORD F	orm WW	'C-5 KS	SA 82a-1212	2		
1 LOCATION OF WATER WELL:	FRACTION		SECT	ION NUMBER	TOWNSHIP	NUMBER	RANGE NUMB	ER
Butler	SW 1/4 SE	1/4 NE	1/4	7	т 27	S	R 3E	E/W
Distance and direction from nearest town of	or city street address of well if locate	ed within city?						
1714 S. Buckeye Ct.	Andover, Kar	isas						
2 WATER WELL OWNER: T	URNER, James							_
	ESS, BOX # 1714 S. Buckeye Ct. Board of Agriculture, Division of Water Resource							
							ber:	
3 LOCATE WELL'S LOCATION	4 DEPTH OF COMPLETED	WELL: 11			ELEVATION:			
WITH AN "X" IN SECTION BOX:	Depth of groundwater Encou		ft.			ft.		ft.
N	WELL'S STATIC WATER L						av/yr: 10/10/1	
				W LAND SU	RFACE MEASUF		,,,	
NW NE	Pump test				ft. after		of pumping @	gpm
		m Well wat 12 in.	er was to 1	16 4	ft. after		of pumping @ to	gpm
	Bore Hole Diameter WELL WATER TO BE USE		1 01	16 ft.	and	in.		ft.
SW SE	1. Domestic 3. Feedle	ot 5. Public wat	er supply	7. Lawn ar	nd garden only	9. Dewaterii	9	
SW SE 1. Domestic 3. Feedlot 5. Public water supply 1. Lawn and garden only 12. Other (Specify below) 2. Irrigation 4. Industrial 6. Oil field water supply 8. Air conditioning 10. Monitoring well								
S	Was a chemical/bacteriologica			YES	NO		hat mo/day/yr was	sample
3	submitted		opartition		ater Well Disinfe	cted?	YES NO	
5 TYPE OF CASING USED:		Z. Elbaratara	9 01	her (Specify	below) CASI	NG JOINTS: (Glued Th	readed
	5. Wrought Iron M (SR)	7. Fiberglass						amped
2. PVC 4. AB	S 6. Asbestos-Ceme	ent 8. Concrete ti	e SDF	R-26				ompou
Blank casing diameter	in. to 50	ft., Dia.	in.	to	ft., D	ia.	n. to	ft.
Casing height above land surface:	12 in	Moight	235 16	- / (Wall this	knocs or gaug	a No. 214	
TYPE OF SCREEN OR PERFORATION MATERIAL: 1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify) N/A								
1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify) 11. Aspecify) 2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)								
		0. RMF (0R)	10. A	spesios-cem	ent 12. (ton	e used (open		
SCREEN OR PERFORATION OPE								
1. Continuous slot 3. N	fill slot 5. Gauze	d wrapped	7. To r	ch cut	9. Drille	d holes	11. None (ope	hole)
2. Louvered shutter 4. K	Key punched 6. Wire w	rapped	8. Sav	w cut	10. Other	(specify) N	'A	
SCREEN - PERFORATION INTER	VAL From 50) ft. to	116	ft.,	From	ft.	to	ft.
			110				to	
	From		44.6	ft.,	From	ft.	to	ft.
GRAVEL PACK INTERVA	LS: From 24	ft. to	116	ft.,	From	ft.	to	ft.
	From	ft. to		ft.,	From	ft.	to	ft.
6 GROUT MATERIALS: 1. I	Neat cement 2. C	Cement Grout	3	Bentonite	> 0	Other		
Grout Intervals: From 4 ft. to 24 ft., From ft. to ft., From ft. to ft.								
What is the nearest source of possible contamination:								
1. Septic tank 4. Lateral lines 7. Pit privy 10. Livestock pens 13. Insecticide storage 15. Oil well/Gas well								
2. Sewer lines 5. Cess Pool 8. Sewage lagoon 11. Fuel storage 14. Abandon water well 16. Other (specify below)								
3. Watertight sewer line 6. Seepage pit 9. Feed yard 12. Fertilizer storage								
Direction from well? South					How man	y feet? 30 1	t. plus	
From To	LITHOLOGIC LO	G	From	To		LITHOLC	GIC LOG	
0 3 topsoil								
<u>3 14 clay</u>					T-T-14			
14 42 brown sh	ale							
42 116 gray shal	е	<u> </u>						
	·····							
						v .		
		Tâlvelei						
	<u></u>							
7					^	المعمدا	under multuri-ti-ti	and
Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or 3. plugged under my jurisdiction and								
was completed on (mo/day/year) 10/10/18 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 10/12/18								
under the business name of Harp Well and Pump Service by (signature) Todd S. Horb								
under the business name of TT	arn Wall and Dump S.	rvice	hy (ei	anature)	τ	י גג	11~~	