

WATER WELL RECORD Form WWC-5 KSA 82a-1212

1 LOCATION OF WATER WELL:		Fraction SW 1/4	NW 1/4	SW 1/4	Section Number 8	T 27	S	Range Number R 3 E E/W
Distance and direction from nearest town or city street address of well if located within city? 3/4 So. of 21st, East of Andover Rd. Andover, Kansas								
2 WATER WELL OWNER: Marie Jones RR#, St. Address, Box #: 1520 No. Hedrmon City, State, ZIP Code : Andover, Kansas				Board of Agriculture, Division of Water Resources Application Number:				
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL 67 ft. ELEVATION: Depth(s) Groundwater Encountered 1 27 ft. 2 ft. 3 ft. WELL'S STATIC WATER LEVEL 27 ft. below land surface measured on mo/day/yr 5-9-83 Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter 11 in. to ft., and in. to ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>						
5 TYPE OF BLANK CASING USED:		1 Steel	3 RMP (SR)	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued X Clamped		
		2 PVC	4 ABS	6 Asbestos-Cement	9 Other (specify below)	Welded		
				7 Fiberglass	Cer-Mac styrene SDR-26	Threaded		
Blank casing diameter		5 in. to 27	ft., Dia	in. to ft., Dia in. to ft.				
Casing height above land surface		12 in., weight 1,59		lbs./ft. Wall thickness or gauge No. 203				
TYPE OF SCREEN OR PERFORATION MATERIAL:								
1 Steel		3 Stainless steel	5 Fiberglass	7 PVC	10 Asbestos-cement			
2 Brass		4 Galvanized steel	6 Concrete tile	8 RMP (SR)	11 Other (specify)			
				9 ABS	12 None used (open hole)			
SCREEN OR PERFORATION OPENINGS ARE:								
1 Continuous slot		3 Mill slot	5 Gauzed wrapped	8 Saw cut	11 None (open hole)			
2 Louvered shutter		4 Key punched	6 Wire wrapped	9 Drilled holes				
			7 Torch cut	10 Other (specify)				
SCREEN-PERFORATED INTERVALS:		From 27 ft. to 67 ft., From ft. to ft.						
		From ft. to ft., From ft. to ft.						
GRAVEL PACK INTERVALS:		From 14 ft. to 67 ft., From ft. to ft.						
		From ft. to ft., From ft. to ft.						
6 GROUT MATERIAL:		1 Neat cement	2 Cement grout	3 Bentonite	4 Other			
Grout Intervals:		From 4 ft. to 14 ft., From ft. to ft., From ft. to ft.						
What is the nearest source of possible contamination:								
1 Septic tank		4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well			
2 Sewer lines		5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well			
3 Watertight sewer lines		6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)			
				13 Insecticide storage				
Direction from well?		North		How many feet? 20				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 5-9-83 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 236 This Water Well Record was completed on (mo/day/yr) 6-25-83 under the business name of Harp Well & Pump Service, Inc. by (signature) M. Arnold								
INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.								