


1 LOCATION OF WATER WELL:	Fraction County: <i>Benton</i>	NE $\frac{1}{4}$ SW $\frac{1}{4}$ NE $\frac{1}{4}$	Section Number 11	Township Number T 27 S	Range Number R 3 EW			
Distance and direction from, nearest town or, city street address of well if located within city? <i>4 West 3 North 2 West of Augusta</i>								
2 WATER WELL OWNER:	<i>Sam Rose</i>		67010					
RR#, St. Address, Box #	<i>P.O. Box 414 Eldorado Kan</i>		Board of Agriculture, Division of Water Resources					
City, State, ZIP Code			Application Number:					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:			4 DEPTH OF COMPLETED WELL: 105 ft. ELEVATION: 105 Depth(s) Groundwater Encountered: 1. 80 ft. 2. ft. 3. ft. WELL'S STATIC WATER LEVEL: 35 ft. below land surface measured on mo/day/yr <i>8/19/83</i>					
			Pump test data: Well water was ft. after hours pumping gpm Est. Yield: 20 gpm Well water was ft. after hours pumping gpm Bore Hole Diameter: 8.5 in. to 105 ft. and in. to ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well Was a chemical/bacteriological sample submitted to Department? Yes <i>No</i> ; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes <i>No</i>					
5 TYPE OF BLANK CASING USED:	1 Steel	3 RMP (SR)	60	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued <i>X</i> Clamped		
	2 PVC	4 ABS		6 Asbestos-Cement	9 Other (specify below)	Welded		
	Blank casing diameter 5 in. to 105 ft. Dia.			in. to ft. Dia in. to ft.				
	Casing height above land surface 18 in., weight			lbs./ft. Wall thickness or gauge No. <i>12.14</i>				
TYPE OF SCREEN OR PERFORATION MATERIAL:						7 PVC	10 Asbestos-cement	
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)	11 Other (specify)				
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS	12 None used (open hole)				
SCREEN OR PERFORATION OPENINGS ARE:						5 Gauzed wrapped	8 Saw cut	11 None (open hole)
1 Continuous slot	3 Mill slot	6 Wire wrapped	9 Drilled holes					
2 Louvered shutter	4 Key punched	7 Torch cut	10 Other (specify)					
SCREEN-PERFORATED INTERVALS: From 60 ft. to 90 ft., From ft. to ft., From ft. to ft., From ft. to ft.								
GRAVEL PACK INTERVALS: From 50 ft. to 105 ft., From ft. to ft., From ft. to ft., From ft. to ft.								
6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other	50-13 ft.?			
Grout Intervals:	From 0 ft. to 13 ft.							
What is the nearest source of possible contamination:						10 Livestock pens	14 Abandoned water well	
1 Septic tank	4 Lateral lines	7 Pit privy	11 Fuel storage	15 Oil well/Gas well				
2 Sewer lines	5 Cess pool	8 Sewage lagoon	12 Fertilizer storage	16 Other (specify below)				
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	13 Insecticide storage					
Direction from well? <i>West</i>						How many feet? <i>100</i>		
FROM	TO	LITHOLOGIC LOG		FROM	TO	LITHOLOGIC LOG		
0	3	<i>Silt</i>						
3	18	<i>Clay</i>						
18	30	<i>Rock+Clay</i>						
30	60	<i>Shale</i>						
60	105	<i>Lime</i>						

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) *8-10 83* and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. *251* This Water Well Record was completed on (mo/day/year) *10/25/83* under the business name of *Winter Well Drilling* by (signature) *Charles Winter*

INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.