

LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County:	Butler	SE 1/4 SE 1/4	14	T 24 S	R 3 C
Distance and direction from nearest town or city street address of well if located within city? Tawakoni Rd. & Central NW Corner of Intersection					
2 WATER WELL OWNER:	Richard Carter		Board of Agriculture, Division of Water Resources		
RR#, St. Address, Box #	5711 Perryton		Application Number:		
City, State, ZIP Code		Wichita Kansas 67220			
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL 89 ft. ELEVATION: Depth(s) Groundwater Encountered 1. 80 ft. 2. ft. 3. ft. WELL'S STATIC WATER LEVEL 21 ft. below land surface measured on mo/day/yr Pump test data: Well water was ft. after hours pumping gpm Est. Yield 50 gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter 8 in. to ft. and in. to ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1. Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2. Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes No			
5 TYPE OF BLANK CASING USED:		5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued Clamped Welded Threaded	
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)		
2 PVC	4 ABS	7 Fiberglass			
Blank casing diameter	5 in. to	ft., Dia	in. to	ft., Dia	in. to
Casing height above land surface 12 lbs./ft. Wall thickness or gauge No.					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)	10 Asbestos-cement	
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS	11 Other (specify) 12 None used (open hole)	
SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot	2 Mill slot	5 Gauzed wrapped	8 Saw cut	11 None (open hole)	
2 Louvered shutter	4 Key punched	6 Wire wrapped	9 Drilled holes		
SCREEN-PERFORATED INTERVALS: From 69 ft. to 89 ft., From ft. to ft.					
GRAVEL PACK INTERVALS: From 20 ft. to 89 ft., From ft. to ft.					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From ft. to 20 ft., From ft. to ft., From ft. to ft., From ft. to ft.					
What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) How many feet? 100					
Direction from well?					
FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	8	Earth			
8	20	Brown Clay			
20	27	Red Bed			
27	73	Buoy Shale			
73	77	Red Bed			
77	89	Shale Gray Sand			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) April 12, 1984 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 124 This Water Well Record was completed on (mo/day/yr) April 12, 1984 under the business name of Reiserer Well Drilling by (signature) Jerry Reiserer					
INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.					