

USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:		County Butler	Fraction SE 1/4 SE 1/4 SW 1/4	Section number 14	Township number T 27 S	Range number R 3W E/W																											
2. Distance and direction from nearest town or city: 1 1/2 East of the Andover			3. Owner of well: Walt Stauffer Constr. R.R. or street: 3535 West 13th City, state, zip code: Wichita, Kansas																														
4. Locate with "X" in section below: <div style="display: flex; align-items: center;"><div style="text-align: center;"><p>1 Mile</p><p>1 Mile</p></div><div style="margin-left: 20px;"><p>Sketch map:</p><p>the North side of the road</p><p>Andover, Kansas</p></div></div>			6. Bore hole dia. 11 in. Completion date 5-16-77 Well depth 140 ft.																														
<table border="1"><thead><tr><th>5. Type and color of material</th><th>From</th><th>To</th></tr></thead><tbody><tr><td>Topsoil</td><td>0</td><td>2</td></tr><tr><td>Brown Clay</td><td>2</td><td>11</td></tr><tr><td>Brown Shale</td><td>11</td><td>30</td></tr><tr><td>Blue Shale</td><td>30</td><td>56</td></tr><tr><td>Brown Shale</td><td>56</td><td>70</td></tr><tr><td>Blue Shale</td><td>70</td><td>110</td></tr><tr><td>Red Shale</td><td>110</td><td>120</td></tr><tr><td>Brown Shale</td><td>120</td><td>140</td></tr></tbody></table>			5. Type and color of material	From	To	Topsoil	0	2	Brown Clay	2	11	Brown Shale	11	30	Blue Shale	30	56	Brown Shale	56	70	Blue Shale	70	110	Red Shale	110	120	Brown Shale	120	140	7. <input checked="" type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dig <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary			
			5. Type and color of material	From	To																												
			Topsoil	0	2																												
			Brown Clay	2	11																												
Brown Shale	11	30																															
Blue Shale	30	56																															
Brown Shale	56	70																															
Blue Shale	70	110																															
Red Shale	110	120																															
Brown Shale	120	140																															
8. Use: <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other																																	
9. Casing: Material Styrene Height: Above or below /// Threaded <input type="checkbox"/> Welded gl Surface 12 in. RMP <input checked="" type="checkbox"/> PVC <input type="checkbox"/> Weight <input type="checkbox"/> lbs./ft. Dia. 5 in. to 140 ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth gage No. 200																																	
			10. Screen: Manufacturer's name Sunflower Plastic Type Styrene Dia. 5" Slot/gauge .06 Length 60' Set between 30 ft. and 140 ft. <input type="checkbox"/> ft. and <input type="checkbox"/> ft. Gravel pack? yes Size range of material 1/4-1/8"																														
			11. Static water level: <input type="checkbox"/> mg./day/yr. 78 ft. below land surface Date 5-16-77																														
			12. Pumping level below land surfaces: <input type="checkbox"/> ft. after <input type="checkbox"/> hrs. pumping <input type="checkbox"/> g.p.m. <input type="checkbox"/> ft. after <input type="checkbox"/> hrs. pumping <input type="checkbox"/> g.p.m. Estimated maximum yield <input type="checkbox"/> g.p.m.																														
			13. Water sample submitted: <input type="checkbox"/> mo./day/yr. <input type="checkbox"/> Yes <input type="checkbox"/> No Date <input type="checkbox"/>																														
			14. Well head completion: <input checked="" type="checkbox"/> Pitless adapter 12 Inches above grade																														
			15. Well grouted? yes With: <input type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Concrete Depth: From 40" ft. to 14 ft.																														
			16. Nearest source of possible contamination: NONE ft. <input type="checkbox"/> Direction <input type="checkbox"/> Type <input type="checkbox"/> Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No																														
			17. Pump: <input checked="" type="checkbox"/> Not installed Manufacturer's name Sta-Rite Model number 20P4Do2 HP 3/4 Volts 230 Length of drop pipe 100 ft. capacity 20 g.p.m. Type: <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other																														
18. Elevation:		19. Remarks: Septic System was not inatalled when the well was drilled. No apparent source for contamination.		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Harp Well & Pump 236 Business name License No. Address Wichita, Kansas Signed M. Arnold Date 5-26-77 Authorized representative																													