

WATER WELL RECORD Form WWC-5 KSA 82a-1212

1 LOCATION OF WATER WELL:	Fraction County: Butler Distance and direction from nearest town or city street address of well if located within city?	Section Number 14	Township Number T 27 S	Range Number R 3 E			
2 WATER WELL OWNER:	Ron & Diane Meyer	Board of Agriculture, Division of Water Resources					
RR#, St. Address, Box #:	R.R. 1	Application Number:					
City, State, ZIP Code:	Augusta, KS 67010						
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:							
4 DEPTH OF COMPLETED WELL:	150	ft. ELEVATION:					
Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.							
WELL'S STATIC WATER LEVEL <u>NONE</u> ft. below land surface measured on mo/day/yr 4-13-16-93							
Pump test data: Well water was ft. after hours pumping gpm							
Est. Yield gpm: Well water was ft. after hours pumping gpm							
Bore Hole Diameter 5 in. to 150 ft., and in. to ft.							
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well							
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)							
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Heat Pump Wells							
Was a chemical/bacteriological sample submitted to Department? Yes.....No..... If yes, mo/day/yr sample was submitted							
Water Well Disinfected? Yes No							
5 TYPE OF BLANK CASING USED:	5 Wrought iron 1 Steel 2 PVC	6 Asbestos-Cement 3 RMP (SR) 4 ABS	8 Concrete tile 9 Other (specify below) <u>3/4"Polyethylene</u>	CASING JOINTS: Glued.....Clamped..... Welded..... Threaded.....			
Blank casing diameter 3/4" in. to 150 ft., Dia in. to ft., Dia in. to ft.							
Casing height above land surface in., weight lbs./ft. Wall thickness or gauge No.							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
1 Steel 2 Brass	3 Stainless steel 4 Galvanized steel	5 Fiberglass 6 Concrete tile	7 PVC 8 RMP (SR) 9 ABS	10 Asbestos-cement 11 Other (specify) 12 None used (open hole)			
SCREEN OR PERFORATION OPENINGS ARE:							
1 Continuous slot 2 Louvered shutter	3 Mill slot 4 Key punched	5 Gauzed wrapped 6 Wire wrapped 7 Torch cut	8 Saw cut 9 Drilled holes 10 Other (specify)	11 None (open hole)			
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.							
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.							
6 GROUT MATERIAL:	1 Neat cement Grout Intervals: From 0 ft. to 150 ft.	2 Cement grout From ft. to ft.	3 Bentonite From ft. to ft.	4 Other From ft. to ft.			
What is the nearest source of possible contamination:							
1 Septic tank 2 Sewer lines 3 Watertight sewer lines	4 Lateral lines 5 Cess pool 6 Seepage pit	7 Pit privy 8 Sewage lagoon 9 Feedyard	10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage	14 Abandoned water well 15 Oil well/Gas well 16 Other (specify below)			
Direction from well? North How many feet? 150 ft							
FROM	TO	LITHOLOGIC LOG		FROM	TO	PLUGGING INTERVALS	
0	4	Top Soil					
4	10	Brown Clay					
10	36	Limestone-Hard					
36	65	Gray Shale					
65	112	Limestone & Gray Shale					
112	150	Gray & Red Shale					
<p>4-Heat Pump Wells same depth</p>							

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 4-16-93 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 138 This Water Well Record was completed on (mo/day/yr) 4-20-93 under the business name of Peterson Irrigation Inc. by (signature) Mike Peterson