WATER WELL RE		WWC-5		vision of Water				
Original Record	Correction	e in Well Use	Res	ources App. No.		Well ID		
1 LOCATION OF WA	TER WELL:	Fraction	Se	ction Number	Township Numbe			
County: Butler	SE 1/4 NE 1/4 SW 1/4		6 T 27 S R 3 ■ E 🗀 '					
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and								
Business: Sharp Hom		direction from	irection from nearest town or intersection): If at owner's address, check here:					
Address: 2131 Collect								
Address: 2131 Collective Ln. 2312 Lakeside Circle, Andover, KS 67002								
City: Wichita State: KS ZIP: 67206								
3 LOCATE WELL 4 DEPTH OF COMPLETED WELL: 98 ft 5 Latitude: (decima								
WITH "X" IN								
SECTION BOX: Depth(s) Groundwater Encountered: 1)				Longitude:				
N						LI NAD 83 LI	NAD ZI	
WELL'S STATIC WATER LEVEL:					Source for Latitude/Longitude: GPS (unit make/model:)			
above land surface, measured on (mo-day-yr)				Company of the Compan				
					☐ Land Survey ☐ Topographic Map			
					Online Mapper:			
Well water was ft. SWSE after hours pumping gpm					····			
dieta in interior pamping					n :ft.	☐ Ground Level	☐ TOC	
Estimated Yield:gpm Bore Hole Diameter:10"in. to98ft. ar				Source: Land Survey GPS Topographic Map				
1 mile in. to it.					Other			
7 WELL WATER TO BE USED AS:								
1. Domestic:								
■ Lawn & Garden 7. □ Aquifer Recharge: well ID □ Livestock 8. □ Monitoring: well ID								
Livestock					12. Geothermal: how many bores?			
2. Irrigation					a) Closed Loop ☐ Horizontal ☐ Vertical b) Open Loop ☐ Surface Discharge ☐ Inj. of Water			
3. Feedlot	☐ Air Sparge		Extraction					
4. Industrial	Recovery				(specify):			
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ■ No If yes, date sample was submitted:								
Water well disinfected? ☐ Yes ■ No								
8 TYPE OF CASING USED: ☐ Steel ■ PVC ☐ Other								
Casing diameter 5" in to 98 ft. Diameter in to ft. Diameter in to ft.								
Casing diameter 5" in to 98 ft., Diameter in to ft., Diameter in to ft. Diameter in to ft. Casing height above land surface 12" in Weight 160 lbs./ft. Wall thickness or gauge No.								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ Fiberglass ■ PVC ☐ Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous Slot								
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole)								
SCREEN-PERFORATED INTERVALS: From58								
GRAVEL PACK INTERVALS: From 22' ft. to 98 ft., From ft. to ft. From ft. to ft.								
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From 2' ft. to 22' ft., From tt. to ft. From ft. to ft.								
Nearest source of possible contamination:								
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage								
Sewer Lines								
■ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well								
☐ Other (Specify) Direction from well? NW. Distance from well? 40+ ft.								
10 FROM TO						DI LICONIO DIE	EDVALO	
	LITHOLOG	JIC LUG	FROM	10 17	THO. LOG (cont.) or	PLUGGING INT	LKVALS	
0 2 di				1				
	ay							
	nestone							
40 70 sh	nale							
70 98 sh	naley lime							
			Notes:	<u> </u>				
			110163.					
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION. This was all the state of the state o								
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged								
under my jurisdiction and was completed on (mo-day-year) 7/8/16								
Kansas Water Well Contractor's License No. 493								
Mail 1 white converte	gravith a fax of \$5.00 for	ph constructed well to: V-	nege Donat	ignature	ironhant Burrow of Wa	ter GWTS Section		
1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.								
					or your records. Telepho	Revised 7/10/	/2015	
Visit us at http://www.kdheks.g	gov/waterweit/index.html		KSA 82a-1	414		Keviseu //10/	4013	