WATER WELL RECORD Form WWC-5 KSA 82a-1212									
1 LOCATION OF WATER WELL:	•		SECT	ON NUMBER	1		RANGE NUMBER		
Butler		SE 1/4 NE	1/4	7	T 27 S	' R 3	E EW		
Distance and direction from nearest town or o					•				
Trotan Stadium 150 W.	<u>Allison</u> NDOVER USD 38	Andover, Kans	sas			····			
2 WATER WELL OWNER: ANDOVER USD 383 RR#,ST. ADDRESS,BOX #: 1432 N. Andover Rd. Board of Agriculture, Division of Water Resource									
	CITY, STATE: Andover, Kansas				ZIP CODE: Application Number:				
	DEPTH OF CANA	MELL: 9	8 ft.		ELEVATION:				
WITH AN A IN SECTION BOX.	Depth of groundwater En	,	ft.		ft.		ft.		
	WELL'S STATIC WATE		FT. BELOV	W LAND SU	RFACE MEASURED ON	mo/day/yr: 11/	23/20		
NWNE	i	test data: Well wa				hours of pumping @	gpm		
	Est. Yield:		iter was		ft. after	hours of pumping @	gpm		
₩ XE	Bore Hole Diameter	in.	to	ft.	and	in. to	ft.		
- - -	WELL WATER MICES			7 I awn a	9. Dew	accing -	jection well		
9W	1. Domestic 3. Fed					12. Other (Itoring well	Specify below)		
	Irrigation 4. Ind Was a chemical/bacteriolo		vater supply Department?	YES		yes, what mo/day/yr	was sample		
3	submitted				Vater Well Disinfected?	YES	NO		
5 TYPE OF CASING USED:	5. Wrought from	n 7. Fiberglass	9. Ot	her (Specify	below) CASING JOIN	ITS: Glued	Threaded		
1. Steel 3. RPM	(SR)	-				Welded	Clamped		
2. PVC 4. ABS	6. Asbestos-Co				. 0:-				
Blank casing diameter 8	in. to	ft., Dia.	in.	to ·	ft., Dia.	in. to	ft.		
Casing height active description of the surface: 36 in., Weight: Ibs. / ft. Wall thickness or gauge No.									
TYPE OF SCREEN OR PERFORATION MATERIAL: 1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify)									
1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify) 2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cernent 12. None used (open hole)									
		o				,			
SCREEN OR PERFORATION OPEN 1. Continuous slot 3. Mil		uzed wrapped	7 To	ch cut	9. Drilled holes	11. None	(open hole)		
							,		
2. Louvered shutter 4. Key	y punched 6. Wir	e wrapped	o. Sa t	w cut	io. Other (specin	y)			
SCREEN - PERFORATION INTERVA	AL From	ft. t	0	ft.,	From ft.	to	ft.		
	From		0	ft.,	From ft.	to	ft.		
GRAVEL PACK INTERVALS	: From	ft. 1	0	ft.,	From ft.	to	ft.		
	From	ft. t	0	ft.,	From ft.	to	ft.		
6 GROUT MATERIALS: 1. No	eat cement	2. Cement Grout		. Bentonite	Other				
Grout Intervals: From 3 ft. to 24 ft., From ft. to ft., From ft. to						to ft.			
What is the nearest source of possible contamination: 1. Septic tank 4. Lateral lines 7. Pit privy			10. Livestoc i	k pens	13. Insecticide stor	13. Insecticide storage 15. Oil well/Gas well			
1. Seput talik 4. Lateral illes				Fuel storage 14. Abandon water well 16. Other (specify below)					
2. Sewer lines 0. Gess Footi									
Watertight sewer line 6. Second Direction from well?	page pit	,			How many feet?				
From To	LITHOLOGIC I	LOG	From	То	LITH	OLOGIC LOG			
				6	compacted clay				
			3	24	bentonite hole plu	2			
			24	98	chlorinated gravel				
			-						
						10 W.M.			
			 			<u> </u>			
			1			· · · · · · · · · · · · · · · · · · ·			
Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or 3. plugged under my jurisdiction and									
was completed on (mo/day/year) 11/23/20 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 11/27/20									
under the business name of Harp Well and Pump Service by (signature) Todd S. Harp									