	WATER WEL	L RECORD F	orm WW	C-5 K	SA 82a-1212			
1 LOCATION OF WATER WELL:	FRACTION	CE NIEV	1	ION NUMBER	1		RANGE NU	
Butler Distance and direction from nearest town		SE 1/4 NW	1/4	31	т 27	S	R 3E	EW
608 E. Flint Hills Natio			dover, K	ansas				H ₁
	DEVLIN ENTERPR					D 4 A	N Divinion of 184	ntes Bassians
RR#,ST. ADDRESS,BOX #:	1313 N. Webb Road	, Suite #100		أس	7206	_	culture, Division of W	RIEF RESOURCE
CITY, STATE:	Wichita, Kansas	10	_	CODE: 6		pplication Num	ber:	
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPA				ELEVATION:			_
N	Depth of groundwater Er		43 ft.			ft.	. 110	ft.
	WELL'S STATIC WATE			W LAND SU	RFACE MEASURE ft. after		ay/yr: 11/3. of pumping @	/20 ¹ gpm
NWNE	Est. Yield:	test data: Well wat gpm Well wat			ft. after		of pumping @	gpm
₩ X V	Bore Hole Diameter	in.	to	ft.		in.	to	ft.
! ─	WELL WATER DE			7.1		9. Dewaterir	'9 °	tion well
siw sie		ediot 5. Public wat	•••		and garden only	0. Monitorin	12. Other (Sp	ecify below
		lustrial 6. Oil field war gical sample submitted to D		8. Air cor YES	NO		vhat mo/day/yr w	as sample
	submitted	•			Vater Well Disinfec	ted?	YES N	10
5 TYPE OF CASING USED:	5. Wrought Iro	n 7. Fiberglass	9. Ot	her (Specify	below) CASIN	G JOINTS:	Glued	Threaded
1. Steel 3. RI 2. PVC 4. Al	PM (SR) Rs 6. Asbestos-C	ement 8. Concrete ti	le styr	ene			Welded	Clamped
Blank casing diameter	5 in. to	ft., Dia.	in.	to	ft., Dia	a. i	in. to	ft.
Casing height back land surface		Weight:		es. / ft.	,	ness or gaug		
TYPE OF SCREEN OR PERFOR	•	Wonght.			Trail Glion	iless or gaug	C 110.	
1. Steel 3. Stainless S	Steel 5. Fiberglass	7. PVC	9. AI	BS	11. Other	(specify)		
2. Brass 4. Galvanized	6. Concrete Tile	8. RMP (SR)	10. A	sbestos-Cer	nent 12. None	used (open	hole)	
SCREEN OR PERFORATION OF								
1. Continuous slot 3. Mill slot 5. Gauzed wrapped			7. To i	7. Torch cut 9. Drilled holes 11. None			11. None (o	pen hole)
2. Louvered shutter 4.	Key punched 6. Wir	e wrapped	8. Sa r	w cut	10. Other	(specify)		
SCREEN - PERFORATION INTER	RVAL From	ft. to		ft.,	From	ft.	to	ft.
	From	ft. to		ft.,	From	ft.	to	ft.
GRAVEL PACK INTERVA	ALS: From	ft. to	ı	ft.,	From	ft.	to	ft.
	From	ft. to	!	ft.,	From	ft.	to	ft.
6 GROUT MATERIALS: 1.	. Neat cement	2. Cement Grout	3	. Bentonite	Of	her bent	onite hole plu	g
Grout Intervals: From What is the nearest source of poss		20 ft., From	ft.	to	ft.,	From	ft. to	ft.
1		t privy 1	0. Livestoc i	k pens	13. insect icio	le storage	15. Oil well/G	as well
2. Sewer lines 5. Cess Pool 8. Sewage lagoon 11. Fuel storage 14. Abandon wa						water well	16. Other (sp	ecify below)
3. Watertight sewer line 6.	Seepage pit 9. Fo	ed yard 1	2. Fertilizer	storage				
Direction from well?					How many			
From To	LITHOLOGIC L	<u>.OG</u>	From	То			GIC LOG	
			0 4		compacted cla bentonite hole			
			.			- Tring		
						 		
			-					
						•		
						• .		
							الا الدوليين وواوري	on ond
7 Contractor's or Landowner's	11760	•		constructed			under my jurisdicti	un and
was completed on (mo/day/yea	•			•	knowledge and bel			
Kansas Water Well Contractor's				•	on (mo/day/year)		/2020	
under the business name of	larp Well and Pump	Service	by (sig	gnature)	To	<u>dd</u> S	.Harp	