

Form WW

KSA 82a-1212

1 LOCATION OF WATER WELL:	Fraction County: <i>Bryher</i>	NE $\frac{1}{4}$ SE $\frac{1}{4}$ SW $\frac{1}{4}$	Section Number Distance and direction from nearest town or city street address of well, if located within city?	Township Number T 27 S	Range Number R 3 (EW)	
2 WATER WELL OWNER:	<i>Robert Conger Andorer Kan</i>					
RR#, St. Address, Box #	324 W. Virginia Rd., 67002 Board of Agriculture, Division of Water Resources					
City, State, ZIP Code	Application Number:					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:						
4 DEPTH OF COMPLETED WELL	85	ft. ELEVATION:				
Depth(s) Groundwater Encountered	1	75	ft. 2	ft. 3	ft.	
WELL'S STATIC WATER LEVEL	30	ft. below land surface measured on mo/day/yr				
Pump test data: Well water was	ft.	after	hours pumping	gpm		
Est. Yield	30	gpm	Well water was	ft.	hours pumping	gpm
Bore Hole Diameter	86	in. to	ft., and	in. to	ft.	
WELL WATER TO BE USED AS:	5	Public water supply	8	Air conditioning	11	Injection well
1 Domestic	3	Feedlot	6	Oil field water supply	9	Dewatering
2 Irrigation	4	Industrial	7	Lawn and garden only	10	Observation well
Was a chemical/bacteriological sample submitted to Department? Yes <input checked="" type="checkbox"/> No <input checked="" type="checkbox"/>						If yes, mo/day/yr sample was submitted
Water Well Disinfected? Yes <input checked="" type="checkbox"/> No <input checked="" type="checkbox"/>						
5 TYPE OF BLANK CASING USED:	5 Wrought iron 6 Asbestos-Cement 7 Fiberglass			CASING JOINTS: Glued <input checked="" type="checkbox"/> Clamped <input type="checkbox"/>		
1 Steel	3 RMP (SR)	8 Concrete tile	9 Other (specify below)	Welded <input type="checkbox"/>		
2 PVC	4 ABS	60	7 PVC	Threaded <input type="checkbox"/>		
Blank casing diameter	5 in. to 60 ft.	Dia	in. to ft.	Dia	in. to ft.	
Casing height above land surface	18	weight	200 lbs./ft.	Wall thickness or gauge No.	1214	
TYPE OF SCREEN OR PERFORATION MATERIAL:	5 Fiberglass 6 Concrete tile			10 Asbestos-cement		
1 Steel	3 Stainless steel	5 Gauzed wrapped	8 RMP (SR)	11 Other (specify)		
2 Brass	4 Galvanized steel	6 Wire wrapped	9 ABS	12 None used (open hole)		
SCREEN OR PERFORATION OPENINGS ARE:						13 Saw cut
1 Continuous slot	3 Mill slot	7 Torch cut	10 Other (specify)	11 None (open hole)		
2 Louvered shutter	4 Key punched	85	14 Abandoned water well			
SCREEN-PERFORATED INTERVALS:	From 60 ft. to 85 ft.	From	ft. to	ft. to	ft. to	ft.
GRAVEL PACK INTERVALS:	From 50 ft. to 85 ft.	From	ft. to	ft. to	ft. to	ft.
6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other		
Grout Intervals:	From 3 ft. to 13 ft.	From	ft. to	ft. to	ft. to	ft.
What is the nearest source of possible contamination:	7 Pit privy 8 Sewage lagoon 9 Feedyard			10 Livestock pens	14 Abandoned water well	
1 Septic tank	4 Lateral lines	11 Fuel storage	15 Oil well/Gas well			
2 Sewer lines	5 Cess pool	12 Fertilizer storage	16 Other (specify below)			
3 Watertight sewer lines	6 Seepage pit	13 Insecticide storage				
Direction from well?						
FROM	TO	LITHOLOGIC LOG		FROM	TO	LITHOLOGIC LOG
0	5	SOIL				
5	10	CLAY				
10	18	ROCK				
18	30	SHALE				
30	85	LIME				

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 4/23/88 and this record is true to the best of my knowledge and belief. Kansas

Water Well Contractor's License No. 250730830 This Water Well Record was completed on (mo/day/yr) 7/30/83 by (signature) Charles Winter

INSTRUCTIONS: Use typewriter or ball point pen, **PLEASE PRESS FIRMLY** and **PRINT** clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.