


1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number		
County: Butler 015		NE $\frac{1}{4}$ NW $\frac{1}{4}$	23	T 27 S	R 3 NW		
Distance and direction from nearest town or city street address of well if located within city? 5 Mile West of Augusta							
2 WATER WELL OWNER:		Charles Winkelman		August Kan			
RR#, St. Address, Box #:		R 3 Box K 216		67010			
City, State, ZIP Code		Board of Agriculture, Division of Water Resources					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		Application Number:					
		4 DEPTH OF COMPLETED WELL: 125 ft. ELEVATION: Depth(s) Groundwater Encountered: 1. 785 ft. 2. ft. 3. ft. WELL'S STATIC WATER LEVEL: 40 ft. below land surface measured on mo/day/yr Pump test data: Well water was ft. after hours pumping gpm Est. Yield: 25 gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter: 85 in. to 125 ft. and in. to ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes No					
5 TYPE OF BLANK CASING USED:		5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued <input checked="" type="checkbox"/> Clamped Welded Threaded			
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)				
2 PVC	4 ABS	7 Fiberglass				
Blank casing diameter: 5 in. to 60 ft., Dia: in. to ft., Dia: in. to ft.							
Casing height above land surface: 18 in., weight: 200 lbs./ft. Wall thickness or gauge No: 214							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
1 Steel	3 Stainless steel	5 Fiberglass	7 PVC	10 Asbestos-cement			
2 Brass	4 Galvanized steel	6 Concrete tile	8 RMP (SR)	11 Other (specify) 12 None used (open hole)			
SCREEN OR PERFORATION OPENINGS ARE:							
1 Continuous slot	3 Mill slot	5 Gauzed wrapped	8 Saw cut	11 None (open hole)			
2 Louvered shutter	4 Key punched	6 Wire wrapped	9 Drilled holes				
7 Torch cut	10 Other (specify)				
SCREEN-PERFORATED INTERVALS: From: 60 ft. to 125 ft., From: ft. to ft.							
GRAVEL PACK INTERVALS: From: 40 ft. to 125 ft., From: ft. to ft.							
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From: 3 ft. to 13 ft., From: ft. to ft., From: ft. to ft.							
What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)							
Direction from well? N-W How many feet? 80							
FROM	TO	LITHOLOGIC LOG		FROM	TO	LITHOLOGIC LOG	
4	4	50' L					
4	15	01 clay					
15	30	30 Rock					
30	55	55 Hale					
55	125	125 Lime & shale					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 1 constructed, 2 reconstructed, or 3 plugged under my jurisdiction and was completed on (mo/day/year) 12/15/84 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 275 This Water Well Record was completed on (mo/day/yr) 12/18/84 by (signature) Charles Winter							
INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.							