KOLAR Document ID: 1580688

	WELL R	Correction		WWC-5 ge in Well Use		ivision of W sources App			Well ID			
		ATER WEL		Fraction		ection Num		Township Numb		ge Number		
County:					1/4 ¹ /4	1 0						
Business: di						treet or Rural Address where well is located (if unknown, distance and irection from nearest town or intersection): If at owner's address, check here:						
Address: Address:												
City:			State:	ZIP:								
3 LOCAT WITH "			IPLETED WELL:		ft. 5 Latitude :(decimal degrees)							
SECTIO			Depth(s) Groundwater Encountered: 1) 2) ft. 3) ft., or 4) □ I				Longitude:(decimal degrees)					
N	N	2) WELL'S ST		Datum: WGS 84 NAD 83 NAD 27 Source for Latitude/Longitude:								
			y-yr)		GPS (unit make/model:)							
NW	NE		y-yr)		(WAAS enabled? \Box Yes \Box No)							
w	Е	~	Pump test data: Well water was ft. after hours pumping gpm				□ Land Survey □ Topographic Map □ Online Mapper:					
			Well water was ft.									
				ours pumping gpm			6 Elevation:ft. Ground Level TOC					
	S	Estimated Yield:gpm Bore Hole Diameter:in. toft.					Source: Land Survey GPS Topographic Map					
1 r	1		in. to f				□ Other					
7 WELL WATER TO BE USED AS:												
1. Domestic:	1. Domestic: 5. □ Public Water Supply: well □ Household 6. □ Dewatering: how many we											
Lawn a		7. 🗌 Aquifer Recharge: well ID			. 🗆	Cased Uncased Geotechnical			1			
					g: well ID			12. Geothermal: how many bores?				
2. □ Irrigation 9. Environmental Re 3. □ Feedlot □ Air Sparge					diation: well ID ☐ Soil Vapor Extraction			a) Closed Loop Horizontal Vertical b) Open Loop Surface Discharge Inj. of Water				
4. Industrial Recovery Injection						13.						
Was a chemical/bacteriological sample submitted to KDHE? \Box Yes \Box No If yes, date sample was submitted:												
Water well disinfected? Yes No 8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded												
Casing diameter in. to ft., Diameter in. to ft., Diameter ft., Diameter ft., Diameter												
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No												
TYPE OF SCREEN OR PERFORATION MATERIAL:												
Steel PVC Other (Specify) Brass Galvanized Steel None used (open hole)												
SCREEN OR PERFORATION OPENINGS ARE:												
Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)												
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole) SCREEN-PERFORATED INTERVALS: From												
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft.												
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other												
Grout Intervals: From												
			Lateral Line			Livestock		Insection	ide Storage			
Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well												
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well □ Other (Specify)												
Direction from well? ft.												
10 FROM	TO	Ι	ITHOLO	GIC LOG	FROM	TO	LI	THO. LOG (cont.) or	PLUGGIN	G INTERVALS		
							_					
					Notes:							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, a reconstructed, or a plugged												
under my in	KACTOR'S	OR LAND	JWNER'S	S CERTIFICATIO	N: This wa	ter well was	S∐C distr	onstructed, \square reco	nstructed,	or l plugged		
				no-day-year) 								
	usiness nam	e of										
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each <u>constructed</u> well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.												
		eks.gov/waterwel					-			SA 82a-1212		