

USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:	County Butler	Fraction NE 1/4 SW 1/4 SE 1/4	Section number 24	Township number T 27 S R 3 E 1/4	Range number	
2. Distance and direction from nearest town or city:	3 W 1/4 N of Augusta		3. Owner of well: Walt Davis	R.R. or street: R 1 Box 163		
Street address of well location if in city:			City, state, zip code: AUGUSTA KS 67010			
4. Locate with "X" in section below:	N W E S		Sketch map: 			
5. Type and color of material	From	To	6. Bore hole dia. 8.5 in. Completion date 3-30-77 Well depth 107 ft.			
Top Soil	0	1	7. <input checked="" type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary			
Clay brown	1	4	8. Use: <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other			
Limestone yellow	4	20	9. Casing: Material 1015 in. Height: Above <input type="checkbox"/> below Threaded <input type="checkbox"/> Welded Steel Surface 14 in. RMP X PVC Weight 200 lbs./ft. Dia. 5 in. to 107 ft. depth Wall Thickness: inches or Dia. 5 in. to 107 ft. depth Gage No. .200			
Clay yellow	20	33	10. Screen: Manufacturer's name sunflower MFG Type Rings Dia. 5" Slot/gauge 3/8 4 Length 10' Set between 97 ft. and 107 ft. ft. and 107 ft. Gravel pack? yes Size range of material 14-29			
Shale gray green	33	44	11. Static water level: 73 ft. below land surface Date 3-30-77			
Shale lavender	44	49	12. Pumping level below land surfaces: NA ft. after hrs. pumping g.p.m. ft. after hrs. pumping g.p.m. Estimated maximum yield g.p.m.			
Shale gray	49	61	13. Water sample submitted: mo./day/yr. Yes <input checked="" type="checkbox"/> No Date			
Limestone yellow with clay	61	84	14. Well head completion: X Pitless adapter 14 inches above grade			
Limestone yellow	84	96	15. Well grouted? yes With: <input type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Concrete Depth: From 14 ft. to 4 ft.			
Shale blue gray	96	101	16. Nearest source of possible contamination: ft. 100 Direction W Type septic Well disinfected upon completion? X Yes No			
Shale Rusty Red	101	107	17. Pump: X Not installed Manufacturer's name Model number HP Volts Length of drop pipe ft. capacity g.p.m. Type: <input type="checkbox"/> Submersible Turbine <input type="checkbox"/> Jet Reciprocating <input type="checkbox"/> Centrifugal Other			
(Water at 98')						18. Elevation:
Topography: <input checked="" type="checkbox"/> Hill <input checked="" type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley	19. Remarks: owner will install concrete slab					20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Braddy Waterwells 363 Business name License No. Address R 2 Douglass KS Signed Richard Braddy Date 3-30-77 Authorized representative