

1 LOCATION OF WATER WELL:		Fraction County: <i>Butler</i>	Section Number NW $\frac{1}{4}$ NW $\frac{1}{4}$ SE $\frac{1}{4}$	Township Number T 27 S	Range Number R 3 E		
Distance and direction from nearest town or city street address of well if located within city? <i>35 West 1/4 N of Augusta</i>							
2 WATER WELL OWNER:		W.C. Ritter RR# St. Address, Box # : R3 Box 112 City, State, ZIP Code : Augusta KS 67010					
Board of Agriculture, Division of Water Resources Application Number:							
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 141 ft. ELEVATION: <i>Slope</i> Depth(s) Groundwater Encountered 1. 95 ft. 2. 132 ft. 3. ft. WELL'S STATIC WATER LEVEL 87 ft. below land surface measured on mo/day/yr 3-8-82 Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter 8 in. to 141 ft. and in. to ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 1 Domestic 3 Feedlot 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes X No					
5 TYPE OF BLANK CASING USED:		1 Steel 3 RMP (SR) <input checked="" type="radio"/> 2 PVC 4 ABS	5 Wrought iron 6 Asbestos-Cement 7 Fiberglass	8 Concrete tile 9 Other (specify below)	CASING JOINTS: Glued X Clamped Welded Threaded		
Blank casing diameter		5 in. to 121 ft., Dia	in. to ft., Dia	in. to ft.			
Casing height above land surface		12 in., weight	lbs./ft. Wall thickness or gauge No.	160/16	ft.		
TYPE OF SCREEN OR PERFORATION MATERIAL:							
1 Steel 2 Brass		3 Stainless steel 4 Galvanized steel	5 Fiberglass 6 Concrete tile	8 RMP (SR) 9 ABS	10 Asbestos-cement 11 Other (specify) 12 None used (open hole)		
SCREEN OR PERFORATION OPENINGS ARE:							
1 Continuous slot 2 Louvered shutter		3 Mill slot 4 Key punched	5 Gauzed wrapped 6 Wire wrapped 7 Torch cut	8 PVC 9 Saw cut 10 Other (specify) 9 Drilled holes	11 None (open hole)		
SCREEN-PERFORATED INTERVALS: From 121 ft. to 141 ft., From ft. to ft. From ft. to ft.							
GRAVEL PACK INTERVALS: From 141 ft. to 183 ft., From ft. to ft. From ft. to ft.							
From 73 ft. to 14 ft., From ft. to ft.							
6 GROUT MATERIAL:		1 Neat cement Grout Intervals: From 83 ft. to 77 ft., From 14 ft. to 3 ft.	2 Cement grout From 14 ft. to 3 ft., From 3 ft. to ft.	3 Bentonite 4 Other			
What is the nearest source of possible contamination:							
1 Septic tank 2 Sewer lines 3 Watertight sewer lines		4 Lateral lines 5 Cess pool 6 Seepage pit	7 Pit privy 8 Sewage lagoon 9 Feedyard	10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage	14 Abandoned water well 15 Oil well/Gas well 16 Other (specify below)		
Direction from well? <i>West</i> How many feet? 60							
FROM	TO	LITHOLOGIC LOG		FROM	TO	LITHOLOGIC LOG	
0	6	Clay Red					
6	36	Limestone yellow					
36	42	Shale yellow					
42	79	Shale gray					
79	96	Limestone yellow					
96	108	Shale gray					
108	132	Shale Rusty Red					
132	141	Shale gray					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <input checked="" type="radio"/> constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 3-8-82 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 363 This Water Well Record was completed on (mo/day/year) 3-8-82 under the business name of <i>Braddy Water Wells</i> by (signature) <i>Richard Braddy</i>							
INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.							