

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: <u>Butler</u>		<u>SW 1/4 SW 1/4 NE 1/4</u>	<u>30</u>	T <u>27</u> S	R <u>3</u> <u>EW</u>
Distance and direction from nearest town or city street address of well if located within city? <u>From ANDOVER Rd & 54 hwy EAST 3/4 South then 1 Block West on Ginkgo</u>					
2 WATER WELL OWNER:		Board of Agriculture, Division of Water Resources			
RR#, St. Address, Box # : <u>1409 N Ginkgo</u>		Application Number:			
City, State, ZIP Code : <u>Wichita, KS 67230</u>					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: <u>80</u> ft. ELEVATION:			
		Depth(s) Groundwater Encountered 1. <u>20</u> ft. 2. <u>40</u> ft. 3. <u>60</u> ft.			
		WELL'S STATIC WATER LEVEL <u>15</u> ft. below land surface measured on mo/day/yr <u>Nov 5 88</u>			
		Pump test data: Well water was ft. after hours pumping gpm			
		Est. Yield <u>30</u> gpm: Well water was ft. after hours pumping gpm			
		Bore Hole Diameter <u>10</u> in. to ft., and in. to ft.			
		WELL WATER TO BE USED AS:			
		<input checked="" type="checkbox"/> 1 Domestic <input type="checkbox"/> 3 Feedlot <input type="checkbox"/> 6 Oil field water supply <input type="checkbox"/> 9 Dewatering <input type="checkbox"/> 12 Other (Specify below) <input type="checkbox"/> 2 Irrigation <input type="checkbox"/> 4 Industrial <input type="checkbox"/> 7 Lawn and garden only <input type="checkbox"/> 10 Monitoring well			
		Was a chemical/bacteriological sample submitted to Department? Yes..... <u>No</u> If yes, mo/day/yr sample was submitted			
		Water Well Disinfected? <u>Yes</u> No			
5 TYPE OF BLANK CASING USED:		CASING JOINTS: <u>Glued</u> Clamped			
1 Steel		5 Wrought iron			
2 PVC		6 Asbestos-Cement			
3 RMP (SR)		7 Fiberglass			
4 <u>ABS</u>		8 Concrete tile			
		9 Other (specify below) Welded			
Blank casing diameter in. to ft., Dia in. to ft., Dia in. to ft.		Threaded			
Casing height above land surface <u>+12</u> in., weight <u>200</u> lbs./ft. Wall thickness or gauge No.					
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 PVC			
1 Steel		10 Asbestos-cement			
2 Brass		8 RMP (SR)			
3 Stainless steel		9 <u>ABS</u>			
4 Galvanized steel		11 Other (specify)			
5 Fiberglass		12 None used (open hole)			
6 Concrete tile		11 None (open hole)			
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped			
1 Continuous slot		6 Wire wrapped			
2 Louvered shutter		7 Torch cut			
3 Mill slot		9 Drilled holes			
4 Key punched		10 Other (specify)			
SCREEN-PERFORATED INTERVALS: From <u>60</u> ft. to <u>80</u> ft., From ft. to ft.					
GRAVEL PACK INTERVALS: From <u>20</u> ft. to <u>80</u> ft., From ft. to ft.					
6 GROUT MATERIAL:		4 Other			
1 Neat cement		3 <u>Bentonite</u>			
2 Cement grout					
Grout Intervals: From <u>3</u> ft. to <u>20</u> ft., From ft. to ft.					
What is the nearest source of possible contamination:		10 Livestock pens			
1 <u>Septic tank</u>		14 Abandoned water well			
2 Sewer lines		11 Fuel storage			
3 Watertight sewer lines		12 Fertilizer storage			
4 Lateral lines		13 Insecticide storage			
5 Cess pool		16 Other (specify below)			
6 Seepage pit					
7 Pit privy					
8 Sewage lagoon					
9 Feedyard					
Direction from well? <u>DON SLOPE</u>		How many feet? <u>+50</u>			
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
<u>0</u>	<u>5</u>	<u>Earth</u>			
<u>5</u>	<u>15</u>	<u>Red Clay</u>			
<u>15</u>	<u>20</u>	<u>Gray Shale</u>			
<u>20</u>	<u>40</u>	<u>Water</u>			
<u>40</u>	<u>50</u>	<u>Gray Shale</u>			
<u>50</u>	<u>60</u>	<u>Water</u>			
<u>60</u>	<u>80</u>	<u>Shale Limestone</u>			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <u>(1) constructed</u> (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>Nov 5 88</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>4493</u> This Water Well Record was completed on (mo/day/yr) <u>Nov 28 88</u> under the business name of <u>Feisner Well Drilling</u> by (signature) <u>John Feisner</u>					