	WELL R			WWC-5			on of Water	1						
	Record			e in Well Use			ces App. No			Wel		37 1		
1 LOCATION OF WATER WELL: County: BUTLER				Fraction SE 1/4 NW 1/4		ectio	n Number 19	To			ge Number E W			
2 WELL (OWNER: L			vell is located										
Business: Address: 1332 W CHAUMONT CIR direction from nearest town or intersection): If at owner's address, check here:														
Address: City: ANDOVER State: KS ZIP: 67002														
3 LOCATE				IPLETED WELL: .	120	ft.	5 Latitu	do.	37.6909	92		decimal degrees)		
WITH "Y		Depth(s) G	roundwater	Encountered: 1)	ft. Longitude:				-97.14	869	(decimal degrees)		
SECTIO:		2)	ft. 3	3) ft., or 4) [İ	Horizontal Datum: WGS 84 NAD 83 NAD 27								
		WELL'S S	land surface	ATIC WATER LEVEL:68ft. and surface, measured on (mo-day-yr)9-17-24				Source for Latitude/Longitude: GPS (unit make/model: I-PHONE)						
% W	NE	above	land surface, measured on (mo-day-yr)				(WAAS enabled? ☐ Yes ☐ No)							
,,,	$ +$ $ _{\rm E}$			water was ft. rs pumping gpm			☐ Land Survey ☐ Topographic Map ☐ Online Mapper:							
W	1 1		Well v	l water was ft.										
SW	SE		after hours pumping				6 Elevation:t. 🔲 Ground Level 🗀							
<u> </u>	S Bore Hole Dia			r:12 in. to120 ft. an			Source:							
1 mile in. to ft.														
7 WELL V	7 WELL WATER TO BE USED AS: 1. Domestic: 5. □ Public Water Supply: well ID													
☐ Househ	nold	6. [Dewaterin	ng: how many wells?		11. Test Hole: well ID								
■ Lawn &				echarge: well ID g: well ID										
2. Irrigati	Irrigation 9. Environmental Remediation: well ID						a) Closed Loop Horizontal Vertical							
3. Feedlo		e Soil Vapor	Extraction		b) Open Loop ☐ Surface Discharge ☐ Inj. of Wa									
	4. Industrial Recovery Injection 13. Other (specify):													
Water well disinfected? ■ Yes □ No														
R TYPE OF CASING USED: ☐ Steel ■ PVC ☐ Other CASING JOINTS: ■ Glued ☐ Clamped ☐ Welded ☐ Threaded														
Casing diameter 5 in. to 120 ft., Diameter in. to ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface 12 in. Weight 2.35 lbs./ft. Wall thickness or gauge No. SDR26														
TYPE OF SCREEN OR PERFORATION MATERIAL:														
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)														
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:														
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)														
Louvered Shutter														
G	RAVEL PA	CK INTERY	VALS: From	m 24 ft. to 120) ft., Fron	m	ft. to	o	ft., From		ft. to	ft.		
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other														
Grout Intervals: Fromft. toft., Fromft., Fromft., From														
☐ Septic			Lateral Lin			_	ivestock Pe		☐ Insec					
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well ■ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well														
Other (Specify) Direction from well? WEST Distance from well? 50+														
Direction from 10 FROM	om well?		LITHOLO	GIC LOG	FROM	[]	TO	LITHO	D. LOG (cont.)	or PLU	JGGIN	G INTERVALS		
0	3	TOP SOIL							```					
3		CLAY												
14 22		BROWN S GRAY SHA				-+								
-	120	J. U. (1 OI I/									-			
					Matata				-					
	Notes:													
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, or plugged under my jurisdiction and was completed on (mo-day-year) 9-17-24														
under my jurisdiction and was completed on (mo-day-year) 9-17-24														
under the business name of HARP WELL AND PUMP SERVICE INCSignature .I.QQQ.S.HARP														
100	0 SW Jackson	St., Suite 420, 7	Горека, Kansa	s 66612-1367. Mail one to	Water Well	Owne	er and retain o	one for y	our records. Tele	phone 7	785-296	5-5524.		
Visit us at htt	tp://www.kdhel	cs.gov/waterwe	ll/index.html		KSA 82a	<u>-121</u>	.2			R	evise	d 7/10/2015		