

1	LOCATION OF WATER WELL:	FRACTION	Section Number	Township Number	Range Number					
	Butler	SE 1/4 NE 1/4 SE 1/4	12	T 27 S	R 3E EW					
Distance and direction from nearest town or city street address of well if located within city?										
1/2 S. of 21st, 1 lot W. of Santa Fe Lake Road, S. 1/4 mile Augusta, KS.										
2	WATER WELL OWNER:	SMITH, Skip				Board of Agriculture, Division of Water Resource				
	RR#, ST. ADDRESS, BOX #:	RR #1 Box 11609				Application Number:				
	CITY, STATE, ZIP CODE:	Augusta, Kansas 67016								
3	LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:									
4	DEPTH OF COMPLETED WELL	95	ft.	ELEVATION:						
	Depth(s) groundwater Encountered	1	ft.	2	ft.	3 ft.				
	WELL'S STATIC WATER LEVEL	20	FT. BELOW LAND SURFACE MEASURED ON mo/day/yr			09/20/1994				
	Pump test data:	Well water was	ft.	after	hours pumping	gpm				
	Est. Yield	gpm:	Well water was	ft.	after	hours pumping	gpm			
	Bore Hole Diameter	12	in. to	95	ft.	and	in. to	ft.		
	WELL WATER TO BE USED AS:	5 Public water supply	8 Air conditioning	11 Injection well						
	1 Domestic	3 Feedlot	6 Oil field water supply	9 Dewatering	12 Other (Specify below)					
	2 Irrigation	4 Industrial	7 Lawn and garden only	10 Monitoring well						
	Was a chemical/bacteriological sample submitted to Department? Yes					No <input checked="" type="checkbox"/> ; If yes, mo/day/yr sample was submitted				
						Water Well Disinfected?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>		
5	TYPE OF CASING USED:						CASING JOINTS:	Glued <input checked="" type="checkbox"/> Clamped		
1	Steel	3 RMP (SR)	5 Wrought iron	8 Concrete tile				Welded		
2	PVC	4 ABS	6 Asbestos-Cement	9 Other (Specify below)				Threaded		
	Blank casing Diameter	5 in. to 25	ft., Dia	in. to	ft., Dia	in. to	ft.			
	Casing height above land surface	12 in.,	weight 2.35	lbs. / ft.	Wall thickness or gauge No.			.214		
						7 PVC	10 Asbestos-cement			
	TYPE OF SCREEN OR PERFORATION MATERIAL:						8 RMP (SR)	11 other (specify)		
1	Steel	3 Stainless Steel	5 Fiberglass	9 ABS				12 None used (open hole)		
2	Brass	4 Galvanized steel	6 Concrete tile	7 Saw cut				11 None (open hole)		
						9 Drilled holes				
	SCREEN OR PERFORATION OPENING ARE:						10 Other (specify)			
1	Continous slot	3 Mill slot	5 Gauzed wrapped							
2	Louvered shutter	4 Key punched	6 Wire wrapped							
						7 Torch cut				
	SCREEN-PERFORATION INTERVALS:	from 25	ft. to 95	ft. From				ft. to		
						ft. From				
	GRAVEL PACK INTERVALS:	from 24	ft. to 95	ft. From				ft. to		
						ft. From				
6	GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other					
	Grout Intervals: From 4	ft. to 24	ft. From	ft. to	ft. From				ft. to	
						10 Livestock pens	14 Abandon water well			
						11 Fuel storage	15 Oil well/Gas well			
						12 Fertilizer storage	16 Other (specify below)			
						13 Insecticide storage				
						How many feet? 70				
	FROM	TO	LITHOLOGIC LOG			FROM	TO	PLUGGING INTERVALS		
0	3	topsoil								
3	12	clay								
12	61	brown shale								
61	95	grey shale								

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 09/20/1994 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 236. This Water Well Record was completed on (mo/day/yr) 09/22/94.  
Under the business name of Harp Well & Pump Service, Inc. by (signature)

Jane Frederick