


1 LOCATION OF WATER WELL:	Fraction County: <i>Butter</i>	Section Number NW 1/4 SW 1/4 NE 1/4 3	Township Number T 27 S	Range Number R 4 E/W
Distance and direction from nearest town or city street address of well if located within city? <i>3 N 1/2 W August</i>				
2 WATER WELL OWNER:	Ralph Swanson RR#, St. Address, Box # 1650 N Meridian City, State, ZIP Code Wichita, KS 67203			
Board of Agriculture, Division of Water Resources Application Number:				
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:				
4 DEPTH OF COMPLETED WELL	118 ft. ELEVATION: 95 ft. 2. ft. 3. ft.			
Depth(s) Groundwater Encountered 1. ft. after 2. hours pumping gpm				
WELL'S STATIC WATER LEVEL 30 ft. below land surface measured on mo/day/yr 6/10/95				
Pump test data: Well water was ft. after hours pumping gpm Est. Yield 50 ft gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter 10 in. to ft. and in. to ft.				
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well				
Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr sample was submitted				
Water Well Disinfected? Yes No				
5 TYPE OF BLANK CASING USED:	1 Steel 2 PVC	3 RMP (SR) 4 ABS	5 Wrought iron 6 Asbestos-Cement 7 Fiberglass	8 Concrete tile 9 Other (specify below) Casing Joints: Glued Clamped Welded Threaded
Blank casing diameter	5 in. to ft.	Dia	in. to ft. Dia	in. to ft.
Casing height above land surface	12 in.	weight	160 lbs./ft.	Wall thickness or gauge No.
TYPE OF SCREEN OR PERFORATION MATERIAL:				
1 Steel 2 Brass	3 Stainless steel 4 Galvanized steel	5 Fiberglass 6 Concrete tile	8 RMP (SR) 9 ABS	10 Asbestos-cement 11 Other (specify) 12 None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE:				
1 Continuous slot 2 Louvered shutter	3 Mill slot 4 Key punched	5 Gauzed wrapped 6 Wire wrapped 7 Torch cut	8 Saw cut 9 Drilled holes 10 Other (specify)	11 None (open hole)
SCREEN-PERFORATED INTERVALS: From 88 ft. to 118 ft. From ft. to ft. From ft. to ft.				
GRAVEL PACK INTERVALS: From 25 ft. to 118 ft. From ft. to ft. From ft. to ft.				
6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other
Grout Intervals: From 3 ft. to 25 ft. From ft. to ft. From ft. to ft. From ft. to ft.				
What is the nearest source of possible contamination:				
1 Septic tank 2 Sewer lines 3 Watertight sewer lines	4 Lateral lines 5 Cess pool 6 Seepage pit	7 Pit privy 8 Sewage lagoon 9 Feedyard	10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage	14 Abandoned water well 15 Oil well/Gas well 16 Other (specify below) <i>Open pond</i>
Direction from well? <i>east</i> How many feet? <i>200 ft</i>				
FROM	TO	LITHOLOGIC LOG	FROM	TO
0	4	<i>soil</i>		
4	21	<i>clay</i>		
21	40	<i>red clay</i>		
40	85	<i>yellow clay</i>		
85	118	<i>shaly lime</i>		
PLUGGING INTERVALS				

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 6/10/95 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 493 This Water Well Record was completed on (mo/day/yr) 6/10/95 under the business name of <i>Rein Well Drilling</i> by (signature) <i>Jerry Rein</i>
