


1 LOCATION OF WATER WELL:		Fraction <i>SE 1/4 NE 1/4 NE 1/4</i>	Section Number <i>17</i>	Township Number <i>T 27 S</i>	Range Number <i>R 4 E</i>
Distance and direction from nearest town or city street address of well if located within city? <i>2-W & 2 N of Augusta</i>					
2 WATER WELL OWNER:		<i>Glen Young</i>			
RR#, St. Address, Box #:		<i>Box 30</i>			
City, State, ZIP Code:		<i>Augusta Kan 67010</i>			
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:					
		4 DEPTH OF COMPLETED WELL <i>125</i> ft. ELEVATION: Depth(s) Groundwater Encountered <i>1 95</i> ft. 2. ft. 3. ft. WELL'S STATIC WATER LEVEL <i>40</i> ft. below land surface measured on mo/day/yr Pump test data: Well water was ft. after hours pumping gpm Est. Yield <i>60</i> gpm. Well water was ft. after hours pumping gpm Bore Hole Diameter <i>72</i> in. to ft., and in. to ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning <input checked="" type="checkbox"/> 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No <input checked="" type="checkbox"/> If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes <input checked="" type="checkbox"/> No			
5 TYPE OF BLANK CASING USED:					
1 Steel <input checked="" type="checkbox"/> PVC		3 RMP (SR) <input checked="" type="checkbox"/> ABS		5 Wrought iron 6 Asbestos-Cement 7 Fiberglass	
Blank casing diameter <i>5</i> in. to <i>60</i> ft., Dia. in. to ft., Dia. in. to ft.		9 Other (specify below)		CASING JOINTS: Glued <input checked="" type="checkbox"/> Clamped Welded Threaded	
Casing height above land surface <i>18</i> in., weight <i>160</i> lbs./ft. Wall thickness or gauge No. <i>12.14</i>					
6 TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel 2 Brass		3 Stainless steel 4 Galvanized steel		5 Fiberglass 6 Concrete tile 5 Gauzed wrapped 6 Wire wrapped 7 Torch cut	
SCREEN OR PERFORATION OPENINGS ARE:		1 Continuous slot 2 Louvered shutter		8 RMP (SR) 9 ABS <input checked="" type="checkbox"/> PVC 10 Asbestos-cement 11 Other (specify) 12 None used (open hole)	
1 Continuous slot 2 Louvered shutter		3 Mill slot 4 Key punched		8 Saw cut 9 Drilled holes 10 Other (specify) 11 None (open hole)	
SCREEN-PERFORATED INTERVALS: From <i>60</i> ft. to <i>125</i> ft., From ft. to ft.					
From ft. to ft., From ft. to ft.					
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft.					
From ft. to ft., From ft. to ft.					
7 GROUT MATERIAL:					
1 Neat cement		2 Cement grout		3 Bentonite <input checked="" type="checkbox"/> 4 Other 10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage	
Grout Intervals: From <i>3</i> ft. to <i>23</i> ft., From ft. to ft., From ft. to ft.		7 Pit privy <input checked="" type="checkbox"/> 8 Sewage lagoon 9 Feedyard		14 Abandoned water well 15 Oil well/Gas well 16 Other (specify below) How many feet? <i>300</i>	
What is the nearest source of possible contamination:					
1 Septic tank 2 Sewer lines 3 Watertight sewer lines		4 Lateral lines 5 Cess pool 6 Seepage pit		7 Pit privy <input checked="" type="checkbox"/> 8 Sewage lagoon 9 Feedyard 10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage	
Direction from well? <i>W</i>					
FROM	TO	LITHOLOGIC LOG		FROM	TO
<i>0</i>	<i>3</i>	<i>Sand</i>			
<i>3</i>	<i>25</i>	<i>Clay</i>			
<i>25</i>	<i>125</i>	<i>Shale & Lime</i>			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <input checked="" type="checkbox"/> (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <i>6/22/96</i> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <i>257</i> This Water Well Record was completed on (mo/day/yr) <i>6/22/96</i> by (signature) <i>Charles Winter</i>					