

WATER WELL RECORD Form WWC-5 KSA 82a-1212

1. LOCATION OF WATER WELL:		Fraction County: <u>Butler</u>	SW $\frac{1}{4}$ SW $\frac{1}{4}$ SW $\frac{1}{4}$	Section Number 11	Township Number T 27 S	Range Number R 4 E	
Distance and direction from nearest town or city street address of well if located within city? <u>Stone Lakes Estates - 1/4 mile E. of Ohio + 80 E Northside</u>							
2. WATER WELL OWNER:		Shap Realty & const. 930 Walnut St. Augusta KS 67010					Board of Agriculture, Division of Water Resources Application Number:
3. LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4. DEPTH OF COMPLETED WELL. 120 ft. ELEVATION:					ft.
		Depth(s) Groundwater Encountered 1. 80 ft. 2. ft. 3. ft.					
		WELL'S STATIC WATER LEVEL 30 ft. below land surface measured on mo/day/yr					
		Pump test data: Well water was ft. after hours pumping gpm					
		Est. Yield 40 gpm: Well water was ft. after hours pumping gpm					
		Bore Hole Diameter 12 in. to ft., and in. to ft.					
		WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well					
		1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)					
		2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well					
		Was a chemical/bacteriological sample submitted to Department? Yes. No. If yes, mo/day/yr. sample was submitted					
		Water Well Disinfected? Yes					No
5. TYPE OF BLANK CASING USED:		5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued Clamped			
1 Steel		6 Asbestos-Cement	9 Other (specify below)	Welded			
2 PVC		7 Fiberglass		Threaded			
Blank casing diameter 5 in. to ft., Dia in. to ft., Dia in. to ft.							
Casing height above land surface 12 in., weight 160 lbs./ft. Wall thickness or gauge No.							
TYPE OF SCREEN OR PERFORATION MATERIAL:		5 Fiberglass	8 RMP (SR)	10 Asbestos-cement			
1 Steel		6 Concrete tile	9 ABS	11 Other (specify)			
2 Brass		5 Gauzed wrapped	8 Saw cut	12 None used (open hole)			
3 Stainless steel		6 Wire wrapped	9 Drilled holes	13 Insecticide storage			
4 Galvanized steel		7 Torch cut	10 Other (specify)	14 Abandoned water well			
SCREEN OR PERFORATION OPENINGS ARE:		3 Mill slot	7 PVC	15 Oil well/Gas well			
1 Continuous slot		4 Key punched	8 RMP (SR)	16 Other (specify below)			
2 Louvered shutter			9 ABS				
SCREEN-PERFORATED INTERVALS: From 80 ft. to 120 ft., From ft. to ft.							
From 30 ft. to 120 ft., From ft. to ft.							
GRAVEL PACK INTERVALS: From 20 ft. to 120 ft., From ft. to ft.							
6. GROUT MATERIAL: 1 Neat cement		2 Cement grout	3 Bentonite	4 Other			
Grout Intervals: From 3 ft. to 20 ft., From ft. to ft., From ft. to ft.							
What is the nearest source of possible contamination:							
1 Septic tank		4 Lateral lines	7 Pit privy	10 Livestock pens			
2 Sewer lines		5 Cess pool	8 Sewage lagoon	11 Fuel storage			
3 Watertight sewer lines		6 Seepage pit	9 Feedyard	12 Fertilizer storage			
				13 Insecticide storage			
Direction from well? How many feet? 20+							
FROM	TO	LITHOLOGIC LOG		FROM	TO	PLUGGING INTERVALS	
0	3	dirt					
3	15	clay (brown)					
15	70	yellow clay					
70	90	shale					
90	120	gray shale					
RECEIVED							
SEP 01 2004							
BUREAU OF WATER							
1/4							
7. CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>8/29/04</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>4183</u> This Water Well Record was completed on (mo/day/year) <u>8/29/04</u> by (signature) <u>Leanne Pessier</u>							
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.							