


WATER WELL RECORD Form WWC-5 KSA 82a-1212

1 LOCATION OF WATER WELL:	Fraction County: <i>Butler</i>	SE $\frac{1}{4}$ SW $\frac{1}{4}$ SW $\frac{1}{4}$	Section Number 11	Township Number T 27 S	Range Number R 4 E
Distance and direction from nearest town or city street address of well if located within city? <i>Stone Lakes Estates - 1/4 mile E of Ohio & 80th Northside Tract V07</i>					
2 WATER WELL OWNER:	Sharp Realty & Const.		Board of Agriculture, Division of Water Resources		
RR#, St. Address, Box #	430 Walnut St.		Application Number:		
City, State, ZIP Code	Augusta KS 67010				
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:			4 DEPTH OF COMPLETED WELL. 120 ft. ELEVATION: Depth(s) Groundwater Encountered 1. 85 ft. 2. ft. 3. ft. WELL'S STATIC WATER LEVEL 25 ft. below land surface measured on mo/day/yr Pump test data: Well water was ft. after hours pumping gpm Est. Yield 35 gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter 12 in. to ft., and in. to ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes (N) If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes No		
5 TYPE OF BLANK CASING USED:	1 Steel <input checked="" type="checkbox"/> 2 PVC	3 RMP (SR) 4 ABS	5 Wrought iron 6 Asbestos-Cement 7 Fiberglass	8 Concrete tile 9 Other (specify below)	CASING JOINTS: Glued Clamped Welded Threaded
Blank casing diameter	1.2 in. to	ft., Dia	in. to	ft., Dia	in. to ft.
Casing height above land surface in., weight 160	lbs./ft. Wall thickness or gauge No.
TYPE OF SCREEN OR PERFORATION MATERIAL:	1 Steel 2 Brass	3 Stainless steel 4 Galvanized steel	5 Fiberglass 6 Concrete tile	7 Gauzed wrapped 8 Wire wrapped 9 Torch cut	10 Asbestos-cement 11 Other (specify) 12 None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE:	1 Continuous slot 2 Louvered shutter	3 Mill slot 4 Key punched	5 Gauzed wrapped 6 Wire wrapped 7 Torch cut	8 Saw cut 9 Drilled holes 10 Other (specify)	11 None (open hole)
SCREEN-PERFORATED INTERVALS:	From 80	ft. to 120	ft., From ft. to ft.	ft., From ft. to ft.	ft. to ft.
GRAVEL PACK INTERVALS:	From 20	ft. to 120	ft., From ft. to ft.	ft., From ft. to ft.	ft. to ft.
6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other
Grout Intervals:	From 3	ft. to 20	ft., From ft. to ft., From ft. to ft.	ft. to ft.
What is the nearest source of possible contamination:	1 Septic tank 2 Sewer lines <input checked="" type="checkbox"/> 3 Watertight sewer lines	4 Lateral lines 5 Cess pool 6 Seepage pit	7 Pit privy 8 Sewage lagoon 9 Feedyard	10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage	14 Abandoned water well 15 Oil well/Gas well 16 Other (specify below)
Direction from well?	How many feet?				
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	4	center			
4	15	slay (brown)			
15	70	yellow clay			
70	120	shaly like			

RECEIVED

SEP 01 2004

BUREAU OF WATER

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) *6/3/04* and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. *425* This Water Well Record was completed on (mo/day/year) *6/3/04* by (signature) *Jerry Resevoir*
under the business name of *Reservoir Well Drilling*

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send two copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.