


1 LOCATION OF WATER WELL:		Fraction County: Butler	SW $\frac{1}{4}$	SE $\frac{1}{4}$	SW $\frac{1}{4}$	Section Number 22	T 27	S	Range Number R 4
Distance and direction from nearest town or city street address of well if located within city? 520 W. 7th St., Augusta, KS									
2 WATER WELL OWNER: KDHE-BER									
RR#, St. Address, Box # : 1000 SW Jackson; Ste. 410					Board of Agriculture, Division of Water Resources				
City, State, ZIP Code : Topeka, KS 66612					Application Number:				
3 LOCATE WELL'S LOCATON WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL							
		Depth(s) Groundwater Encountered 1.5 WELL'S STATIC WATER LEVEL 11.88 ft. below land surface measured on mo/day/yr 04/23/13 Pump test data: Well water was 1.5 ft. after 2 hours pumping 0.5 Gpm Est. Yield 1.0 Gpm: Well water was 1.5 ft. after 2 hours pumping 0.5 Gpm Bore Hole Diameter 6.5 in. to 20 ft. and 1.5 in. to 20 ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well MW-4R							
Was a chemical/bacteriological sample submitted to Department? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> If yes, mo/day/yr sample was Submitted Water Well Disinfected? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>									
5 TYPE OF BLANK CASING USED:									
1 Steel		3 RMP (SR)		5 Wrought Iron		8 Concrete tile		CASING JOINTS: Glued	
2 PVC		4 ABS		6 Asbestos-Cement		9 Other (specify below)		Clamped	
Blank casing diameter 2		in. to 10		Ft., Dia		In. to		ft., Dia	
Casing height above land surface FLUSH in., weight SCH 40 Lbs./ft. Wall thickness or gauge No.									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
1 Steel		3 Stainless steel		5 Fiberglass		7 PVC		10 Asbestos-cement	
2 Brass		4 Galvanized steel		6 Concrete tile		8 RMP (SR)		11 Other (specify)	
SCREEN OR PERFORATION OPENINGS ARE:									
1 Continuous slot		3 Mill slot		5 Gauzed wrapped		8 Saw cut		11 None (open hole)	
2 Louvered shutter		4 Key punched		6 Wire wrapped		9 Drilled holes		12 None used (open hole)	
7 Torch cut						10 Other (specify)			
SCREEN-PERFORATED INTERVALS: From 10 ft. to 20 ft. From ft. to ft.									
SAND PACK INTERVALS: From 8 ft. to 20 ft. From ft. to ft.									
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other									
Grout Intervals From 2 ft. to 0.5 ft. From 3 ft. to 6 ft. From 6 ft. to 8 ft. From ft. to ft.									
What is the nearest source of possible contamination:									
1 Septic tank		4 Lateral lines		7 Pit privy		10 Livestock pens		14 Abandoned water well	
2 Sewer lines		5 Cess pool		8 Sewage lagoon		11 Fuel storage		15 Oil well/ Gas well	
3 Watertight sewer lines		6 Seepage pit		9 Feedyard		12 Fertilizer storage		16 Other (specify below)	
13 Insecticide storage Contaminated Site									
Direction from well? How many feet?									
FROM	TO	CODE	LITHOLOGIC LOG			FROM	TO	PLUGGING INTERVALS	
0	0.5	Asphalt							
0.5	20	Silty Clay							
20	TD	End of Borehole							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (x) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and w									
Completed on (mo/day/yr) 04/11/13 And this record is true to the best of my knowledge and belief. Kansas									
Water Well Contractor's License No. 585 This Water Well Record was completed on (mo/day/yr) 05/11/13									
under the business name of Associated Environmental, Inc. By (signature) Bradley J. Johnson									
INSTRUCTIONS: Please fill in blanks and circle the correct answers. Send three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.									