PAO1-13

WATER V	VELL RECORD	Form WWC-5	Division of Water Resour	ces App. No.	
1 LOCAT	ON OF WATER WELL: Butler	Fraction SE ¼ SW ¼ NE ¼ NW !	Section Number Towns	ship No. Range Number 27 S R 4 ☑E □W	
			Global Positioning System		
from nearest town or intersection: If at owner's address, check here .				Latitude: .37.676434 (in decimal degrees)	
Former Augusta Refinery			Longitude: 96.983465 (in decimal degrees)		
215 S Oak Ave, Augusta, KS			Elevation:		
2 WATER WELL OWNER: Williams Petroleum Services			Datum: WGS 84, N N Collection Method:	AD 83, [] NAD 27	
RR#, Street Address, Box #: One Williams Center			GPS unit (Make/Model:)		
	. Trib o I	OK 74172		Topographic Map, 🗹 Land Survey	
"	Tuisa, C	JR 14112	Est. Accuracy: 🗸 <3 m, 🗆	] 3-5 m, ☐ 5-15 m, ☐ >15 m	
3 LOCATE WITH AT	"X" IN 4 DEPTH OF	COMPLETED WELL .13			
SECTION BOX: Depth(s) Groundwater Encountered _(1).7. ft. (2)					
]	SECTION BOX: Depth(s) Groundwater Encountered (1).7				
Pump test data: Well water was					
NWX	EST. YIELDgpm. Well water wasft. after				
W                       Bore Hole Diameter 9.42					
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well					
SWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)					
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☑ Monitoring well					
Was a chemical/bacteriological sample submitted to Department?  Yes  No					
S If yes, mo/day/yr sample was submitted					
Water well disinfected? ☐ Yes ☑ No					
5 TYPE OF CASING USED: Steel PVC Other					
CASING JOINTS: Glued Clamped Welded Threaded					
Casing diameter .2 in. to .3 ft., Diameter ft., Diameter ft.					
Casing height above land surface. 24 in., Weight lbs./ft., Wall thickness or gauge No. 40					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
☐ Steel ☐ Stainless Steel ☑ PVC ☐ Other (Specify)					
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:  Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)					
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)					
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft.					
From ft. to ft., From ft. to ft.					
GF	AVEL PACK INTERVALS:	From 2.5 ft. to . 13.	ft., From	ft. to ft.	
		From ft. to	ft., From	ft. to ft.	
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other					
Grout Interv	als: From .0 ft. to	2.5 ft., From	ft. to ft., From .	ft. toft.	
What is the nearest source of possible contamination:					
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below)					
Sewer lines					
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well former refinery oper  Direction from well immediate vicinity. Distance from well immediate vicinity.					
	O LITHOLOG	GIC LOG FROM	TO LITHO, LOG (con	nt.) or PLUGGING INTERVALS	
0 13	lean Clay				
$\vdash$					
<del></del>			DA04.40		
<b></b>			PA01-18		
ļ					
<del> </del>					
<del></del>					
$\vdash$					
<sub>:</sub>					
7.00	OTODIO OD I ANDOMONIO	· ·			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year). I and this record is true to the best of my knowledge and belief.					
under my jurisdiction and was completed on (mo/day/year)					
Kansas Water Well Contractor's License No. 7/.2 This Water Well Record was completed on (mo/day/year)					
under the business name of Selambre and by (signature) by (signature) by (signature) INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send one copy to					
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.					
		ER WELL OWNER and retain one for you			
http://www.kdheks.gov/wsterwell/index.html					