ADC F-09

WATER WELL RECORD	Form WWC-5	Division of Water Resources App. No.
1 LOCATION OF WATER WELL County: Butler	NF 14NE 14 NW 14 5	Section Number Township No. Range Number T 27 S R 4 ZE W
Street/Rural Address of Well Location: if unknown, distance & direction   Global Positioning System (GPS) information:		
from nearest town or intersection: If at owner's address, check here .		Latitude: .37671.925 (in decimal degrees)
Former August Refinery; W. 2nd Ave., Augusta, KS		Longitude: 96. 985
2 WATER WELL OWNER: Williams Petroleum Services		Datum: WGS 84, NAD 83, NAD 27 Collection Method:
RR#, Street Address, Box #: One Williams Center		☐ GPS unit (Make/Model: Garmin 60C
City, State, ZIP Code : Tulsa, OK 74101		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey
		Est. Accuracy:
3 LOCATE WELL	OF COMPLETED WELL	7.5
WITH AN "X" IN SECTION BOX: Depth(s) (	Groundwater Encountered (1)	ft. (2) ft. (3) ft.
N WELL'S	STATIC WATER LEVEL 9.72	ft. below land surface measured on mo/day/yr
		ft. after hours pumpinggpm
EST. YIELDgpm. Well water wasft. afterhours pumpinggpm		
W         E   Bore Hole	Diameter 8in. to1.7.	Fft., and . <del>-</del> in. to . <del>-</del> ft.
WELL W	ATER TO BE USED AS: Dubl	c water supply  Geothermal  Injection well
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well  Domestic Feedlot Oil field water supply Dewatering Other (Specify below)		
Irrigation     Industrial     Domestic-lawn & garden ▶   Monitoring well		
Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No		
S If yes, mo/day/yr sample was submitted		
Water wen disinfected: 163 165 170		
5 TYPE OF CASING USED: Steel PVC Other		
CASING JOINTS: Glued Clamped Welded Threaded		
Casing diameter 2		
TYPE OF SCREEN OR PERFORATION MATERIAL:		
☐ Steel ☐ Stainless Steel		
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)		
SCREEN OR PERFORATION OPENINGS ARE:		
Continuous slot  Mill slot  Gauze wrapped  Torch cut  Drilled holes  None (open hole)		
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)  SCREEN-PERFORATED INTERVALS: From 17:5 ft. to ft., From ft. to ft.		
From - ft. to - ft. From - ft. to -		
From		
From		
6 GROUT MATERIAL: Neat cement Cement grout Denotite Other Grout Intervals: From ft. to ft., From		
What is the nearest source of possible contamination:		
☐ Septic tank       ☐ Lateral lines       ☐ Pit privy       ☐ Livestock pens       ☐ Insecticide storage       ☐ Other (specify below)         ☐ Sewer lines       ☐ Cesspool       ☐ Sewage lagoon       ☑ Fuel storage       ☐ Abandoned water well		
		lizer storage Oil well/gas well
Direction from well		ance from well
	OLOGIC LOG FRO	M TO LITHO. LOG (cont.) or PLUGGING INTERVALS
0 17.5 Silty Clay		
1	-	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed or plugged		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed constructed, or plugged under my jurisdiction and was completed on (mo/day/year) 5. 9		
Kansas Water Well Contractor's License No		
under the business name of		
INSTRUCTIONS: Use ty pewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies		
(white, blue, pink) to Kansas Depar tment of Health and E nvironment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 666 12-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at		
http://www.kdheks.gov/waterwell/index.html.		
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy		