KOLAR Document ID: 1454013

	WELL R			WWC-5		vision of Wat							
U		Correction		ge in Well Use		ources App. 1			Well ID				
			Fraction	4 ¹ / ₄ Section Number			Township Numb		ige Number				
County: 1/4 1/4 1/4 2 WELL OWNER: Last Name: First: S						1 4 1 1							
2 WELL Business:		ast Name:				treet or Rural Address where well is located (if unknown, distance and rection from nearest town or intersection): If at owner's address, check here:							
	Address:							ection from hearest fown of intersection). If at owner's address, check here.					
Address:													
City:		•	State:	ZIP:									
3 LOCATE WELL WITTH WY IN 4 DEPTH OF COMPLETED WELL:						t. 5 Latif	nde.			(decimal degrees)			
	WITH "X" IN SECTION BOX: Depth(s) Groundwater Encountered:						Longitude:(decimal degrees)						
	2) ft. 3)				Dry Well			WGS 84 🗌 NAI		NAD 27			
	· · · · · · · · ·	WELL'S ST				Source for Latitude/Longitude:							
			·yr)		GPS (unit make/model:)								
NW	NE	Pump test d		yr) t		(WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map ☐ Online Mapper:							
w	E	~	hours										
			Well w	ì.									
	SE		after hours pumping gpi			6 Elevation: ft \Box Ground Level \Box TOC							
		Estimated Yield:gpm			A 1	6 Elevation:ft. □ Ground Level □ TOC Source: □ Land Survey □ GPS □ Topographic Map							
	S milo	Bore Hole I	Bore Hole Diameter: in. to										
7 WELL WATER TO BE USED AS: 1. Domestic: 5. Public Water Supply: well ID 10. Oil Field Water Supply: lease 													
				ig: how many wells?			11. Test Hole: well ID						
			7. Aquifer Recharge: well ID				Cased Uncased Geotechnical						
	Livestock 8. Monitoring: well ID												
	2. Irrigation 9. Environmental Remediation: well ID							Loop Horizont					
					Extraction								
4. Industrial Recovery Injection 13. Other (specify):													
Was a chemical/bacteriological sample submitted to KDHE? \Box Yes \Box No If yes, date sample was submitted:													
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded Casing diameter													
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No													
TYPE OF SCREEN OR PERFORATION MATERIAL:													
□ Steel □ Stainless Steel □ Fiberglass □ PVC □ Other (Specify)													
Brass Galvanized Steel Concrete tile None used (open hole)													
SCREEN OR PERFORATION OPENINGS ARE:													
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify)													
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole) SCREEN-PERFORATED INTERVALS: From													
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft. to ft.													
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other													
		e contaminati	on: No	potential source of con	tamination w	ithin 200 ft.							
□ Septic			Lateral Line			Livestock P	ens		ide Storage				
Sewer			Cess Pool	🗌 Sewage Lag		Fuel Storage			oned Water	Well			
	ight Sewer Li			☐ Feedyard		Fertilizer St	orage	∐ Oil We	ll/Gas Well				
Direction from well? ft.													
10 FROM	TO		ITHOLO		FROM	ТО		HO. LOG (cont.) or		GINTERVALS			
10 1110111	10				1110111	10	211		1200011				
	 ↓												
	Notes:												
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged													
under my i	urisdiction a	nd was compl	eted on (n	no-day-year)	and	this record	is tru	ie to the best of m	y knowled	ge and belief.			
Kansas Wa	ter Well Cor	tractor's Lice	ense No	This Wa	ater Well Re	cord was co	mple	ted on (mo-day-ye	ear)				
under the b	ousiness name	<u>e of</u>						·····					
KS Departs				ELL OWNER and retain of Vater Geology Section 10						785-296-3565			
-			KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212										