

1 LOCATION OF WATER WELL: County: <u>Butler</u>	Fraction <u>NE 1/4 SW 1/4 NE 1/4</u>	Section Number <u>1</u>	Township Number <u>T 27 S</u>	Range Number <u>R 4 E</u>	
Distance and direction from nearest town or city street address of well if located within city? <u>3 miles north of 1/2 East of Augusta, KS</u>					
2 WATER WELL OWNER: RR#, St. Address, Box # City, State, ZIP Code	Scot Webber <u>907 Whittier</u> <u>Wichita, KS 67207</u>				Board of Agriculture, Division of Water Resources Application Number:
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: N W E S	4 DEPTH OF COMPLETED WELL <u>120</u> ft. ELEVATION: ..... Depth(s) Groundwater Encountered <u>1.65</u> ft. 2. ..... ft. 3. ..... ft. WELL'S STATIC WATER LEVEL <u>NA</u> ft. below land surface measured on mo/day/yr Pump test data: Well water was ..... ft. after ..... hours pumping ..... gpm Est. Yield ..... gpm: Well water was ..... ft. after ..... hours pumping ..... gpm Bore Hole Diameter <u>12 1/4</u> in. to <u>120</u> ft., and ..... in. to ..... ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes ..... No ..... If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>				
5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) <input checked="" type="checkbox"/> PVC 4 ABS	5 Wrought iron 8 Concrete tile CASING JOINTS: Glued <input checked="" type="checkbox"/> Clamped ..... 6 Asbestos-Cement 9 Other (specify below) Welded ..... 7 Fiberglass Threaded ..... Blank casing diameter <u>6</u> in. to ..... ft., Dia ..... in. to ..... ft., Dia ..... in. to ..... ft. Casing height above land surface ..... in., weight ..... lbs./ft. Wall thickness or gauge No. <u>SDR 26</u>				
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify) 12 None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot <u>3 Mill slot</u> 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 10 Other (specify)					
SCREEN-PERFORATED INTERVALS: From <u>100</u> ft. to <u>120</u> ft., From ..... ft. to ..... ft. From ..... ft. to ..... ft., From ..... ft. to ..... ft.					
GRAVEL PACK INTERVALS: From <u>20</u> ft. to <u>20</u> ft., From <u>65</u> ft. to ..... ft., From ..... ft.					
6 GROUT MATERIAL: <u>1 Neat cement</u>	2 Cement grout	3 Bentonite	4 Other		
Grout Intervals: From <u>0</u> ft. to <u>20</u> ft., From <u>60</u> ft. to <u>65</u> ft., From ..... ft. to ..... ft.					
What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) 18 Other (specify)					
Direction from well? <u>North</u> How many feet? <u>1320</u>					
FROM	TO	LITHOLOGIC LOG	FROM	TO	
<u>0</u>	<u>4</u>	<u>Top Soil</u>			
<u>4</u>	<u>17</u>	<u>Yellow Clay</u>			
<u>17</u>	<u>65</u>	<u>Shale/Lime</u>			
<u>65</u>	<u>89</u>	<u>Sand/Gray Lime</u>			
<u>89</u>	<u>120</u>	<u>Lime Clay</u>			
PLUGGING INTERVALS					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>9-3-92</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>464</u> This Water Well Record was completed on (mo/day/year) <u>9-18-92</u> by (signature) <u>REED</u>					