

1 LOCATION OF WATER WELL:	Fraction County: <b>Butler</b>	Section Number NW $\frac{1}{4}$ SE $\frac{1}{4}$ SE $\frac{1}{4}$ 8	Township Number T 27 S	Range Number R 4 E
Distance and direction from nearest town or city street address of well if located within city?				
2 WATER WELL OWNER:	John Nicks RR#, St. Address, Box # : 913 Hwy City, State, ZIP Code : Augusta, KS			
Board of Agriculture, Division of Water Resources Application Number:				
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:				
4 DEPTH OF COMPLETED WELL	80 ft. ELEVATION:			
Depth(s) Groundwater Encountered	1	72	ft. 2	ft. 3
WELL'S STATIC WATER LEVEL	28	ft. below land surface measured on mo/day/yr	12/28/89	
Pump test data: Well water was	ft. after	hours pumping	gpm	
Est. Yield	12 gpm	ft. after	hours pumping	gpm
Bore Hole Diameter	10 in. to	ft. and	in. to	ft.
WELL WATER TO BE USED AS:	5 Public water supply    8 Air conditioning    11 Injection well 3 Feedlot    6 Oil field water supply    9 Dewatering    12 Other (Specify below) 2 Irrigation    4 Industrial    7 Lawn and garden only    10 Monitoring well			
Was a chemical/bacteriological sample submitted to Department? Yes	No	1	If yes, mo/day/yr sample was submitted	Water Well Disinfected? Yes
5 TYPE OF BLANK CASING USED:	CASING JOINTS: Glued ✓ Clamped			
1 Steel	3 RMP (SR)	5 Wrought iron	8 Concrete tile	Welded
2 PVC	4 ABS	6 Asbestos-Cement	9 Other (specify below)	Threaded
Blank casing diameter	5 in. to	ft., Dia	in. to	ft., Dia in. to
Casing height above land surface	112 in.	160 weight	lbs./ft.	Wall thickness or gauge No.
TYPE OF SCREEN OR PERFORATION MATERIAL:	7 PVC    10 Asbestos-cement 5 Fiberglass    8 RMP (SR)    11 Other (specify) 6 Concrete tile    9 ABS    12 None used (open hole)			
SCREEN OR PERFORATION OPENINGS ARE:	5 Gauzed wrapped    8 Saw cut    11 None (open hole) 6 Wire wrapped    9 Drilled holes 7 Torch cut    10 Other (specify)			
SCREEN-PERFORATED INTERVALS:	From	60 ft. to	80 ft.	From ft. to ft.
GRAVEL PACK INTERVALS:	From	20 ft. to	80 ft.	From ft. to ft.
6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other
Grout Intervals:	From 3 ft. to 20 ft.	From ft.	ft. to ft.	From ft. to ft.
What is the nearest source of possible contamination:	10 Livestock pens    14 Abandoned water well 11 Fuel storage    15 Oil well/Gas well 12 Fertilizer storage    16 Other (specify below) 13 Insecticide storage			
Direction from well?	DOWN SLOPE N			
FROM    TO    LITHOLOGIC LOG    FROM    TO    PLUGGING INTERVALS 0    5    Earth 5    20    Brown Clay 20    35    Yellow Clay 35    80    Grey Silt				
RECEIVED AUG 31 1990 DIVISION OF ENVIRONMENTAL				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION:	This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 493 12/28/89 and this record is true to the best of my knowledge and belief. Kansas			
Water Well Contractor's License No.	This Water Well Record was completed on (mo/day/yr) 12/28/89			
under the business name of <i>Reiserer Well Drilling</i>	by (signature) <i>Young Reiserer</i>			
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send two three copies to Kansas Department of Health and Environment, Bureau of Water Protection, Topeka, Kansas 66620-7320. Telephone: 913-296-5514. Send one to WATER WELL OWNER and retain one for your records.				