


1 LOCATION OF WATER WELL:	Fraction	NE $\frac{1}{4}$ NW $\frac{1}{4}$ SW $\frac{1}{4}$	Section Number	T 27 S	Range Number		
County: Butler	21	27	4	EW			
Distance and direction from nearest town or city street address of well if located within city?							
1 mile west 500' south 1/2 east Augusta, KS							
2 WATER WELL OWNER:	Jim Lytton - Craft Master					Board of Agriculture, Division of Water Resources	
RR#, St. Address, Box #:	507 Welbeck					Application Number:	
City, State, ZIP Code:	Wichita, KS 67214						
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:						4 DEPTH OF COMPLETED WELL..... 140 ft. ELEVATION: .....	
Depth(s) Groundwater Encountered 1. 95 ft. 2. ft. 3. ft.							
WELL'S STATIC WATER LEVEL 21 ft. below land surface measured on mo/day/yr 5/31/94							
Pump test data: Well water was ft. after hours pumping gpm							
Est. Yield 3 gpm: Well water was ft. after hours pumping gpm							
Bore Hole Diameter 20 in. to ft. and in. to ft.							
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well							
1 Domestic	3 Feedlot	6 Oil field water supply	9 Dewatering	12 Other (Specify below)			
2 Irrigation	4 Industrial	7 Lawn and garden only	10 Monitoring well				
Was a chemical/bacteriological sample submitted to Department? Yes..... No..... If yes, mo/day/yr sample was submitted							
Water Well Disinfected? Yes No							
5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued Clamped				
1 Steel	6 Asbestos-Cement	9 Other (specify below)	Welded				
2 PVC	7 Fiberglass		Threaded				
Blank casing diameter 5 in. to ft. Dia in. to ft. Dia in. to ft.							
Casing height above land surface 12 in., weight 160 lbs./ft. Wall thickness or gauge No.							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
1 Steel	3 Stainless steel	5 Fiberglass	7 PVC	10 Asbestos-cement			
2 Brass	4 Galvanized steel	6 Concrete tile	8 RMP (SR)	11 Other (specify)			
SCREEN OR PERFORATION OPENINGS ARE:							
1 Continuous slot	3 Mill slot	5 Gauzed wrapped	8 Saw cut	11 None (open hole)			
2 Louvered shutter	4 Key punched	6 Wire wrapped	9 Drilled holes	12 None used (open hole)			
SCREEN-PERFORATED INTERVALS: From 80 ft. to 140 ft. From ft. to ft. From ft. to ft.							
GRAVEL PACK INTERVALS: From 20 ft. to 140 ft. From ft. to ft. From ft. to ft.							
6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other			
Grout Intervals: From 3 ft. to 20 ft. From ft. to ft. From ft. to ft. From ft. to ft.							
What is the nearest source of possible contamination:							
1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well			
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well			
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)			
Direction from well? South							
FROM	TO	LITHOLOGIC LOG		FROM	TO	PLUGGING INTERVALS	
0	2	Earth					
2	12	red gumbo					
12	15	green shale					
15	21	grey shale lime					
21	28	lime					
28	64	shale					
64	80	red bed					
80	120	lime					
120	125	shaly lime					
125	140	lime					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 5/31/94 and this record is true to the best of my knowledge and belief. Kansas							
Water Well Contractor's License No. 131493 This Water Well Record was completed on (mo/day/yr) 7/10/94							
under the business name of RESEARCH WELL SERVICES by (signature) Jenny Breske							