

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: <u>Butler</u>		<u>SE 1/4 SE 1/4 SW 1/4</u>	<u>24</u>	<u>T 27 S</u>	<u>R 4 E/W</u>
Distance and direction from nearest town or city street address of well if located within city? <u>2 East of Augusta Kan</u>					
2 WATER WELL OWNER:		67010			
RR#, St. Address, Box # :		Board of Agriculture, Division of Water Resources			
City, State, ZIP Code : <u>Box 50 Augusta Kan</u>		Application Number:			
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: <u>65</u> ft. ELEVATION:			
		Depth(s) Groundwater Encountered 1. <u>35</u> ft. 2. . ft. 3. . ft.			
		WELL'S STATIC WATER LEVEL <u>30</u> ft. below land surface measured on mo/day/yr			
		Pump test data: Well water was . ft. after . hours pumping . gpm			
		Est. Yield <u>4</u> gpm Well water was . ft. after . hours pumping . gpm			
		Bore Hole Diameter <u>8 1/2</u> in. to . ft., and . in. to . ft.			
WELL WATER TO BE USED AS:		5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well			
Was a chemical/bacteriological sample submitted to Department? Yes . No <u>X</u> ; If yes, mo/day/yr sample was submitted		Water Well Disinfected? Yes <u>X</u> No			
5 TYPE OF BLANK CASING USED:		CASING JOINTS: Glued <u>X</u> Clamped .			
1 Steel 3 RMP (SR)		Welded .			
2 PVC 4 ABS		Threaded .			
Blank casing diameter . in. to <u>25</u> ft. Dia . in. to . ft. Dia . in. to . ft.					
Casing height above land surface <u>18</u> in., weight <u>200</u> lbs./ft. Wall thickness or gauge No. <u>1214</u>					
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 PVC 10 Asbestos-cement			
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) .		12 None used (open hole)			
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS					
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped 8 Saw cut 11 None (open hole)			
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes					
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) .					
SCREEN-PERFORATED INTERVALS: From <u>25</u> ft. to <u>55</u> ft. From . ft. to . ft.					
GRAVEL PACK INTERVALS: From . ft. to . ft. From . ft. to . ft.					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other .					
Grout Intervals: From <u>0</u> ft. to <u>20</u> ft. From . ft. to . ft. From . ft. to . ft.					
What is the nearest source of possible contamination:		10 Livestock pens 14 Abandoned water well			
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well					
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)					
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage					
Direction from well? <u>N</u>		How many feet? <u>100</u>			
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
<u>0</u>	<u>5</u>	<u>Soil</u>			
<u>5</u>	<u>55</u>				
		<u>Shale & lime</u>			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 1/31/89 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 3511 This Water Well Record was completed on (mo/day/yr) 2/3/89 under the business name of Winter Well Drill by (signature) Charles Winter