


1 LOCATION OF WATER WELL:		Fraction County: Butler	SW 1/4	NW 1/4	SE 1/4	Section Number 27	Township Number T 27 S	Range Number R 4 EW	
Distance and direction from nearest town or city street address of well if located within city? <i>South edge of Augusta</i>									
2 WATER WELL OWNER:		MobilOil Corporation				Board of Agriculture, Division of Water Resources			
RR#, St. Address, Box # :		P.O. Box 246, Gulf States Rd.				Application Number:			
City, State, ZIP Code :		Beaumont, TX 77704-0246							
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:						4 DEPTH OF COMPLETED WELL 30.0 ft. ELEVATION: 1215 Depth(s) Groundwater Encountered 1 20.0 ft. 2 ft. 3 ft. WELL'S STATIC WATER LEVEL ft. below land surface measured on mo/day/yr Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter 12.0 in. to 32.0 ft., and in. to ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only (10) Observation well Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes No X			
5 TYPE OF BLANK CASING USED:		1 Steel	3 RMP (SR)	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued Clamped			
		2 PVC	4 ABS	6 Asbestos-Cement	9 Other (specify below)	Welded Threaded X			
Blank casing diameter		4.0 in. to 4.5 ft., Dia in. to ft., Dia in. to ft.							
Casing height above land surface		18.0 in., weight	lbs./ft. Wall thickness or gauge No. Schedule 40						
TYPE OF SCREEN OR PERFORATION MATERIAL:									
1 Steel		3 Stainless steel	5 Fiberglass	8 RMP (SR)	10 Asbestos-cement				
2 Brass		4 Galvanized steel	6 Concrete tile	9 ABS	11 Other (specify)				
SCREEN OR PERFORATION OPENINGS ARE:									
1 Continuous slot		3 Mill slot	5 Gauzed wrapped	8 Saw cut	11 None (open hole)				
2 Louvered shutter		4 Key punched	6 Wire wrapped	9 Drilled holes	12 None used (open hole)				
SCREEN-PERFORATED INTERVALS:		From 4.5 ft. to 29.5 ft., From ft. to ft.							
		From ft. to ft., From ft. to ft.							
GRAVEL PACK INTERVALS:		From 4.0 ft. to 30.0 ft., From ft. to ft.							
		From ft. to ft., From ft. to ft.							
6 GROUT MATERIAL:		1 Neat cement	2 Cement grout	3 Bentonite	4 Other				
Grout Intervals:		From 0 ft. to 4.0 ft., From ft. to ft., From ft. to ft.							
What is the nearest source of possible contamination:									
1 Septic tank		4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well				
2 Sewer lines		5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well				
3 Watertight sewer lines		6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)				
Direction from well?		How many feet? 1500'							
FROM	TO	LITHOLOGIC LOG		FROM	TO	LITHOLOGIC LOG			
0	4.0	Dark brown-black, Silty Clay FILL with metal, concrete and brick fragments							
4.0	9.5	Light brown Silty CLAY							
9.5	14.0	Black-dark brown Silty CLAY with roots							
14.0	20.0	Light brown-gray Silty CLAY							
20.0	30.0	Light brown-gray Silty CLAY							
30.0	32.0	Brown, Silty CLAY with trace of sand							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 12/17/86 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 399 This Water Well Record was completed on (mo/day/year) 12/24/86 under the business name of Woodward-Clyde Consultants by (signature) <i>Leland L. McRae</i>									

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water Protection, Topeka, Kansas 66620-7320, Telephone: 913-862-9360. Send one to WATER WELL OWNER and retain one for your records.