

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: <u>Butler</u>		<u>NW 1/4 SE 1/4 NW 1/4</u>	<u>14</u>	T <u>27</u> S	R <u>4</u> <u>E/W</u>
Distance and direction from nearest town or city street address of well if located within city? <u>IN City Augusta</u>					
2 WATER WELL OWNER:		Board of Agriculture, Division of Water Resources			
RR#, St. Address, Box #:		Application Number:			
City, State, ZIP Code:					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: <u>165</u> ft. ELEVATION:			
		Depth(s) Groundwater Encountered: <u>1</u> ft. 2. . . . . ft. 3. . . . . ft.			
		WELL'S STATIC WATER LEVEL: <u>35</u> ft. below land surface measured on mo/day/yr			
		Pump test data: Well water was . . . . . ft. after . . . . . hours pumping . . . . . gpm			
		Est. Yield <u>20</u> gpm; Well water was . . . . . ft. after . . . . . hours pumping . . . . . gpm			
		Bore Hole Diameter: <u>9 1/2</u> in. to . . . . . ft., and . . . . . in. to . . . . . ft.			
		WELL WATER TO BE USED AS:			
		5 Public water supply    8 Air conditioning    11 Injection well 1 Domestic    3 Feedlot    6 Oil field water supply    9 Dewatering    12 Other (Specify below) 2 Irrigation    4 Industrial <u>7</u> Lawn and garden only    10 Monitoring well			
		Was a chemical/bacteriological sample submitted to Department? Yes . . . . . No <u>0</u> . . . . . If yes, mo/day/yr sample was submitted			
		Water Well Disinfected? Yes <u>X</u> No			
5 TYPE OF BLANK CASING USED:		CASING JOINTS: Glued <u>X</u> Clamped . . . . .			
1 Steel    3 RMP (SR) <u>2</u> PVC    4 ABS		6 Asbestos-Cement    9 Other (specify below)    Welded . . . . . 7 Fiberglass    . . . . .    Threaded . . . . .			
Blank casing diameter: <u>5</u> in. to <u>50</u> ft. Dia . . . . . in. to . . . . . ft. Dia . . . . . in. to . . . . . ft.					
Casing height above land surface: <u>18</u> in., weight . . . . . lbs./ft. Wall thickness or gauge No. <u>24</u>					
TYPE OF SCREEN OR PERFORATION MATERIAL:		<u>7</u> PVC    10 Asbestos-cement 1 Steel    3 Stainless steel    5 Fiberglass    8 RMP (SR)    11 Other (specify) . . . . . 2 Brass    4 Galvanized steel    6 Concrete tile    9 ABS    12 None used (open hole)			
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped <u>8</u> Saw cut    11 None (open hole) 1 Continuous slot    3 Mill slot    6 Wire wrapped    9 Drilled holes 2 Louvered shutter    4 Key punched    7 Torch cut    10 Other (specify) . . . . .			
SCREEN-PERFORATED INTERVALS: From <u>50</u> ft. to <u>165</u> ft. From . . . . . ft. to . . . . . ft.					
GRAVEL PACK INTERVALS: From . . . . . ft. to . . . . . ft. From . . . . . ft. to . . . . . ft.					
6 GROUT MATERIAL:		4 Other . . . . .			
1 Neat cement    2 Cement grout <u>3</u> Bentonite Grout Intervals: From <u>0</u> ft. to <u>23</u> ft. From . . . . . ft. to . . . . . ft. From . . . . . ft. to . . . . . ft.					
What is the nearest source of possible contamination:		10 Livestock pens    14 Abandoned water well 1 Septic tank    4 Lateral lines    7 Pit privy    11 Fuel storage    15 Oil well/Gas well 2 Sewer lines    5 Cess pool    8 Sewage lagoon    12 Fertilizer storage    16 Other (specify below) <u>3</u> Watertight sewer lines    6 Seepage pit    9 Feedyard    13 Insecticide storage			
Direction from well? <u>N</u>		How many feet? <u>175</u>			
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
<u>0</u>	<u>3</u>	<u>soil</u>			
<u>3</u>	<u>15</u>	<u>Rock</u>			
<u>15</u>	<u>25</u>	<u>Clay</u>			
<u>25</u>	<u>165</u>	<u>Shale + Lime</u>			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was X constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 12/11/94 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 251 This Water Well Record was completed on (mo/day/yr) 12/12/94 under the business name of Winter Well Drill by (signature) Charles Winter