

MW # 8

1 LOCATION OF WATER WELL: County: <u>Butler</u>	Fraction <u>NE 1/4 NW 1/4 NE 1/4</u>	Section Number <u>27</u>	Township Number <u>T 27 S</u>	Range Number <u>R 4 E</u>
--	---	-----------------------------	----------------------------------	------------------------------

Distance and direction from nearest town or city street address of well if located within city?

113 E 7th Augusta, Kansas

2 WATER WELL OWNER: RR#, St. Address, Box # : City, State, ZIP Code	<u>J & J Auto Glass</u> <u>700 State Street</u> <u>Augusta, Kansas 67110</u>	Board of Agriculture, Division of Water Resources Application Number:
---	--	--

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: <u>18</u> ft. ELEVATION:
--	---

1 Mile

W

E

S

Depth(s) Groundwater Encountered 1 ft. 2. ft. 3. ft.

WELL'S STATIC WATER LEVEL 7 ft. below land surface measured on mo/day/yr

Pump test data: Well water was ft. after hours pumping gpm

Est. Yield gpm; Well water was ft. after hours pumping gpm

Bore Hole Diameter 7 1/4 in. to 18 ft., and in. to ft.

WELL WATER TO BE USED AS:

1 Domestic	3 Feedlot	6 Oil field water supply	9 Dewatering	12 Other (Specify below)
2 Irrigation	4 Industrial	7 Lawn and garden only	10 Monitoring well	

Was a chemical/bacteriological sample submitted to Department? Yes.....No.....; If yes, mo/day/yr sample was submitted

Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued Clamped
------------------------------	----------------	-----------------	------------------------------

1 Steel

2 PVC

Blank casing diameter 2 in. to 3 ft., Dia

Casing height above land surface 0 in., weight Sched 40 lbs./ft. Wall thickness or gauge No.

3 RMP (SR)

4 ABS

6 Asbestos-Cement

7 Fiberglass

8 RMP (SR)

9 ABS

10 Asbestos-cement

11 Other (specify)

12 None used (open hole)

TYPE OF SCREEN OR PERFORATION MATERIAL:

1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)	11 Other (specify)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS	12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:

1 Continuous slot	<u>2</u> Mill slot	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
2 Louvered shutter	4 Key punched	6 Wire wrapped	9 Drilled holes	
		7 Torch cut	10 Other (specify)	

SCREEN-PERFORATED INTERVALS: From 18 ft. to 3 ft., From ft. to ft.

GRAVEL PACK INTERVALS: From 18 ft. to 2.5 ft., From ft. to ft.

6 GROUT MATERIAL:	1 Neat cement	<u>2</u> Cement grout	3 Bentonite	4 Other
-------------------	---------------	-----------------------	-------------	---------

GROUT INTERVALS: From 2 ft. to 0.3 ft., From 2.5 ft. to 2 ft., From ft. to ft.

What is the nearest source of possible contamination:

1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
<u>2</u> Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
			13 Insecticide storage	

Direction from well? North How many feet? 10'

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	4	Top Soil			
4	11	Fill Bricks & rock			
11	15	Brown Silty Clay			
15	18	Tan to Grey Clay			
		Moist at 7.0			
		Wet at 17.0			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>6-16-95</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>575</u> This Water Well Record was completed on (mo/day/yr) <u>6-23-95</u> under the business name of <u>Kurtz Environmental Service</u> by (signature) <u>[Signature]</u>
--