

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: <u>BUTLER</u>	<u>SE 1/4 SW 1/4 SE 1/4</u>	<u>22</u>	<u>T 27 S</u>	<u>R 4 E</u>

Distance and direction from nearest town or city street address of well if located within city?

100 E Main St. Augusta KS.

2 WATER WELL OWNER:	RR#, St. Address, Box #	City, State, ZIP Code	Board of Agriculture, Division of Water Resources
<u>Town & Country Markets</u>	<u>P.O. Box 17087</u>	<u>Wichita, Kansas 67217</u>	Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: <u>25.0</u> ft. ELEVATION:
	Depth(s) Groundwater Encountered <u>1.13</u> ft. 2. ft. 3. ft. WELL'S STATIC WATER LEVEL ft. below land surface measured on mo/day/yr Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter in. to ft., and in. to ft. WELL WATER TO BE USED AS: 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only <u>10</u> Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
<u>2</u> PVC	4 ABS	7 Fiberglass	Welded Threaded <u>X</u>
Blank casing diameter <u>2</u> in. to <u>1.6</u> ft., Dia. in. to ft., Dia. in. to ft.			
Casing height above land surface <u>0</u> in., weight <u>Sched 40</u> lbs./ft. Wall thickness or gauge No.			
TYPE OF SCREEN OR PERFORATION MATERIAL:	<u>2</u> PVC	10 Asbestos-cement	
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS
SCREEN OR PERFORATION OPENINGS ARE:	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
1 Continuous slot	<u>3</u> Mill slot	6 Wire wrapped	9 Drilled holes
2 Louvered shutter	4 Key punched	7 Torch cut	10 Other (specify)
SCREEN-PERFORATED INTERVALS: From <u>2.5</u> ft. to <u>10</u> ft., From ft. to ft.			
GRAVEL PACK INTERVALS: From <u>2.5</u> ft. to <u>8</u> ft., From ft. to ft.			

6 GROUT MATERIAL:	1 Neat cement	<u>2</u> Cement grout	<u>3</u> Bentonite	4 Other
Grout Intervals: From <u>5</u> ft. to <u>0.3</u> ft., From <u>8</u> ft. to <u>5</u> ft., From ft. to ft.				
What is the nearest source of possible contamination:	1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens
	2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage
<u>3</u> Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	14 Abandoned water well
Direction from well? <u>West</u>			13 Insecticide storage	15 Oil well/Gas well
			How many feet? <u>8'</u>	16 Other (specify below)

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
<u>0</u>	<u>4'</u>	<u>Top Soil</u>			
<u>4'</u>	<u>15'</u>	<u>Brown Silty Clay Moist at 13 1/2'</u>			
<u>15'</u>	<u>20'</u>	<u>Tan Silty Clay</u>			
<u>20'</u>	<u>25'</u>	<u>Tan Silty Clay w/ Interbedded Gravel</u>			
		<u>Wet at 22 1/2'</u>			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <u>(1)</u> constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>6-19-95</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>575</u> This Water Well Record was completed on (mo/day/year) <u>6-23-95</u> under the business name of <u>Kurtz Environmental Services</u> by (signature) <u>[Signature]</u>
--