


1 LOCATION OF WATER WELL: <b>Sedgwick</b>	FRACTION <b>NW 1/4 SE 1/4 SE 1/4</b>	Section Number <b>6</b>	Township Number <b>T 28 S</b>	Range Number <b>R 1E E/W</b>
--	---	----------------------------	----------------------------------	---------------------------------

Distance and direction from nearest town or city street address of well if located within city?

**1236 Fultz Wichita, Kansas**

WATER WELL OWNER: <b>ECOFF, Bob</b>	Board of Agriculture, Division of Water Resource
RR#, ST. ADDRESS, BOX #: <b>310 S. Sheridan Apt. 3</b>	Application Number:
CITY, STATE, ZIP CODE: <b>Wichita, Kansas 67213</b>	

LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:



4 DEPTH OF COMPLETED WELL <b>25</b> ft.	ELEVATION:			
Depth(s) groundwater Encountered <b>1</b> ft.	<b>2</b> ft.	<b>3</b> ft.	<b>ft.</b>	
WELL'S STATIC WATER LEVEL <b>10.5</b> FT. BELOW LAND SURFACE MEASURED ON <b>09/26/1997</b>				
Pump test data:	Well water was	ft. after	hours pumping	gpm
Est. Yield	gpm: Well water was	ft. after	hours pumping	gpm
Bore Hole Diameter <b>4 1/2</b> in.	to	ft. and	in. to	ft.
WELL WATER TO BE USED AS:	5 Public water supply	8 Air conditioning	11 Injection well	
	1 Domestic	3 Feedlot	6 Oil field water supply	9 Dewatering
	2 Irrigation	4 Industrial	7 Lawn and garden only	10 Monitoring well
12 Other (Specify below)				
Was a chemical/bacteriological sample submitted to Department? Yes	No <b>X</b> ; If yes, mo/day/yr sample was			
submitted	Water Well Disinfected?	Yes <b>X</b>	No	

5 TYPE OF CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS:	Glued	Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (Specify below)	Welded	
2 PVC	4 ABS	7 Fiberglass		Threaded	
Blank casing Diameter <b>1 1/4</b> in. to	ft., Dia	in. to	ft., Dia	in. to	ft.
Casing height above land surface <b>60</b> in.,	weight	lbs. / ft.	Wall thickness or gauge No.		
TYPE OF SCREEN OR PERFORATION MATERIAL:	5 Fiberglass	8 RMP (SR)	10 Asbestos-cement		
1 Steel	3 Stainless Steel	6 Concrete tile	9 ABS	11 other (specify) <b>N/A</b>	
2 Brass	4 Galvanized steel			12 None used (open hole)	
SCREEN OR PERFORATION OPENING ARE:	5 Gauzed wrapped	8 Saw cut	11 None (open hole)		
1 Continous slot	3 Mill slot	6 Wire wrapped	9 Drilled holes		
2 Louvered shutter	4 Key punched	7 Torch cut	10 Other (specify) <b>N/A</b>		
SCREEN-PERFORATION INTERVALS:	from	ft. to	ft., From	ft. to	ft.
GRAVEL PACK INTERVALS:	from	ft. to	ft., From	ft. to	ft.
	from	ft. to	ft., From	ft. to	ft.

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other
Grout Intervals: From <b>1</b> ft. to <b>25</b> ft.				
What is the nearest source of possible contamination:				
1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandon water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
			13 Insecticide storage	<b>None Apparent</b>
Direction from well?			How many feet?	

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
			<b>0</b>	<b>1</b>	<b>surface clay</b>
			<b>1</b>	<b>25</b>	<b>cement grout</b>

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: <b>This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>09/26/1997</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>236</u>. This Water Well Record was completed on (mo/day/yr) <u>09/29/97</u>.</b>
Under the business name of <b>Harp Well &amp; Pump Service, Inc</b> by (signature) <i>Todd S. Harp</i>