WATED WELL DEC	OBD.	Form	WWC-5	Divis	sion of Wate	r Resources App. No	<u>,                                    </u>	
VATER WELL REC	ER WELL:	Fraction		Section	Number	Township No.	Range Number	
CL. Sodowick		1/4 1/4	NW 1/4 SW 1/4		31	T 28 S	R 1	
Street/Pural Address of Well Location: if unknown, distance & direction					Global Positioning System (GPS) information:  Latitude:			
from nearest town or intersection: If at owner's address, check here .					e:		(in decimal degrees)	
					Longitude: (in decimal degrees)			
					Elevation:			
OVENER					Datum: WGS 84, NAD 83, NAD 21 Collection Method:			
2 WATER WELL OWNER: Vernon Haws					CDC unit (Make/Model:			
RR#, Street Address, Box #: 329 N. Mimosa Drive					Digital Man/Photo. Topographic Map, Land Survey			
City, State, ZIP Code : Havsville, KS 67060					Est. Accuracy:			
3 LOCATE WELL					_			
WITH AN "X" IN	4 DEPTH OF	COMPLETED W	ELL .40		ft.		(2)	
SECTION BOX:	H (1) 20 # (2) H (3)							
N								
TO THE STATE OF TH								
tt. after nours pumping spin								
1 NW 1 NE 1 Dometer 10 in to 40								
WELL WATER TO BE USED AS: Public water supply Geometrian Great well								
WELL WATER TO BE USED AS.   Tubile Water supply   Dewatering   Other (Specify below)								
Domestic Greenot Domestic Monitoring well Domestic-lawn & garden Monitoring well Monitoring we								
Was a chemical/bacteriological sample submitted to Department? Yes No								
s If yes, mo/day/yr sample was submitted								
Water well disinfected? ✓ Yes □ No								
5 TYPE OF CASING USED: Steel PVC Other								
5 111 DOI 0.101.10 0.101								
Casing diameter .5 in. to .40								
CASING JOINTS: Glued Clamped Welded Inreaded  Casing diameter .5								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:  Continuous slot								
Continuous slot								
SCREEN-PERFORATE	DINTERVALS							
		T	# to		и гон		. W	
GRAVEL PAC	K INTERVALS	From20	ft. to <del>4</del>	• • • • • • • • • • • • • • • • • • • •	ft., From	ππ	. to ft.	
		T	A +A		##OM		. W	
6 GROUT MATERIAL	: Neat cer	nant Cament	grout V Bente	onite	1 ()ther			
Grout Intervals: Fron	1 .2 ft.	to <del></del> π.,	From	. It. to	n	, From	ft. toft.	
What is the nearest source	e of possible cor	tamination:	□ I :astook	nanc	☐ Insectici	de storage 🔲 O	ther (specify below)	
Septic tank Lateral lines Pit privy Livestock								
Sewer lines Watertight sewer	ines □ Seenage	nit	Fertilizer	storage	Oil well/	gas well		
Direction from well .	Southwest		Distance	e from we	ell100'			
FROM TO	LITHOLO		FROM	TO	LITHO.	LOG (cont.) or PL	UGGING INTERVALS	
		0.000						
0 3 Topso 3 15 Clay	<u> </u>							
	m Sand							
15 37 <u>Mediu</u> 37 40 Shale	III Janu							
or 40 Shale								
<del></del>								
				T				
<del></del>								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 2 constructed, reconstructed, or plugged								
under my jurisdiction and was completed on (mo/day/year) .0.5/23/2014.  Kansas Water Well Contractor's License No238 This Water Well Record was completed on (mo/day/year) .05/23/2014.  under the business name of								
Mansas water well con	of Premier F	ump & Well Serv	vice, Inc.	by (	signature).	1. V. Ongoers	سيلايب	
Kansas Departmen	of Health and Envi	pen. PLEASE PRESS onment, Bureau of Wa	ter, Geology Section,	1000 SW	Jackson St., S	uite 420, Topeka, Kar of \$5.00 for each consti	nucted well. Visit us at	
Kansas Department Telephone 785-296-5524. S	end one copy to Wa	TER WELL OWNER	and retain one for yo	ui iccoius.	THEIRIGE ICE O	A POUR TOLOGOR COMMO		
		http://www.kdl	heks gov/waterwell/ir	wex num!				