	WATER	WELL F	RECORE) F	orm V	/WC-5 K	SA 82a-	1212				
1 LOCATION OF WATER WELL:	FRACTION /			ΝE		ECTION NUMBER		NSHIP NUI			ANGE NU	
Sedgwick Sedgwick		4 WE	1/4	800	1/4	24 34	<u> </u>	28	S	R	1 E	E/W
Distance and direction from nearest town or city s												
3009 E. Sun Flower Drive		rby, Kai										
	EPH, Char							6	Board of A	griculture, Divi	sion of Wa	iter Resource
I '	E. Sun Flo	wer Driv	ve			6 =	7027				0.0 0	
	y, Kansas					ZIP CODE: 67			olication N	umber:		
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	DEPTH OF CO	MPLETED	WELL:	40	U	ft.	ELEVATIO	ON:				
N Dep	th of groundwa	iter Encoun	ntered:			ft.			ft.			ft.
X WE	LL'S STATIC V	NATER LE	VEL 2	20	FT. BE	LOW LAND SU	RFACE ME	EASURED	ON mo	o/day/yr:	8/6/1	.4
- NWNE	í	Pump test o	data: V	Vell wat	ter was		ft. afte	r	hou	irs of pumpir	ng @	gpr
₩ E Bo	Est. Yield:	gpm		Vell wa	ter was		ft. afte	r	hou	ırs of pumpii	ng @	gpn
	ore Hole Diame		12 in.		to	40 ft.	and	i	in.		to	ft.
	LL WATER TO					ly 7. Lawn a	nd cordon	9	Dewate	9	11. Inject	
	Domestic	3. Feedlot							Monito	12. O t ring well	ther (Spe	cify below
	Irrigation as a chemical/ba	4. Industri			-	ply 8. Air cond	NO	_		s, what mo/c	lav/vr wa	s sample
	as a chemical/bai mitted	cteriologicals	sample subm	inted to t	Jepanmen		ater Well E		•	YES	N	
5 TYPE OF CASING USED:					0	Other (Specify	helow)	CASING	IOINTS	Glued	, ,	Threaded
1. Steel 3. RPM (SR	5. Wroug	gnt Iron	7. Fib€	erglass			Delow)	J, 10114G	2011413	Welded		Clamped
2. PVC 4. ABS	6. Asbes	tos-Cemen	nt 8. Cor	ocrete ti	_{ile} S	DR-26						J.Cpou
Blank casing diameter 5	in. to	25 f	ft., D	ia.	in.	to	ft.,	Dia.		in.	to	ft.
Casing height above land surface:	12 in		Weig	ht.	2.35	lbs. / ft.	١٨/-	all thickne	see or as	uce No	.214	
TYPE OF SCREEN OR PERFORATION	,		Weig	111.	2.33	103. 7 11.	***	an triokin	os or ga	uge No.	.214	
1. Steel 3. Stainless Steel	5. Fibergla	ss	7. PVC	>	9	. ABS	11	1. Other (specify)			
2. Brass 4. Galvanized	6. Concrete		8. RMF	(SR)	10	. Asbestos-Cerr	nent 12	2. None u	sed (ope	n hole)		
SCREEN OR PERFORATION OPENING	C ADE											
1. Continuous slot 3. Mill slo		5. Gauzed	wranned		7	Torch cut	9	Drilled h	oles	11. N	lone (on	en hole)
			• •								(,
2. Louvered shutter 4. Key pu	inched (6. Wire wra	apped		8.	Saw cut	10.	Other (s	pecity)			
SCREEN - PERFORATION INTERVAL	From	25	ft.	to	40	ft.,	From		ft.		to	ft.
	From		ft.	to		ft.,	From		ft.		to	ft.
GRAVEL PACK INTERVALS:	From	24	ft.	to	40	ft.,	From		ft.		to	ft.
	From		ft.	to)	ft.,	From		ft.		to	ft.
6 GROUT MATERIALS: 1 Next s							110111	Othe		. 4 ² 4 - 1		
O			ment Grou	•		3. Bentonite				ntonite ho	- '	
Grout Intervals: From 4 What is the nearest source of possible co		to 24	ft.,	From		ft. to	ft.	., F	rom	ft.	to	ft.
1. Septic tank 4. Lateral		7. Pit priv	v y	1	0. Lives	ock pens	13. ins	secticide	storage	15. Oi	I well/Ga	s well
2. Sewer lines 5. Cess P	ool	8. Sewag	e lagoon	1	11. Fuel s	storage	14. A b	andon w	ater we	li 16. Ot	her (spe	cify below)
3. Watertight sewer line 6. Seepag		9. Feed y	ard	1	12. Fertili	zer storage						
Direction from well? North	,	•				_	Ho	w many f	eet? 12	ft. plus		
	ITHOLOG	IC LOG	}		Fron	n To				OGÍC LO	OG .	
0 3 topsoil												
3 17 clay												
17 28 medium sand												
28 40 grey shale												
					 							
					ļ	-						
												
					 							
					<u> </u>	+						
					†	1						
7 Contractor's or Landowner's Certific	ation: This wat	ter well was	s 1 Cons	tructed	D 2	reconstructed	or 3.	plug	ged	under my j	urisdictio	n and
	8/6/201		_								, , , , , , , , , , , , , , , , , , , ,	
was completed on (mo/day/year)	0/0/2014	7				the best of my k	_					
Kansas Water Well Contractor's Licens	se No. 236		This w	vater we	ell record	was completed				8/8/14		
under the business name of Harp	Well and P	ump Ser	vice		by	(signature)		Too	d	S. Ho	wh	
I									(<u> </u>	<u> </u>	