			WATER WE	LL RECO	RD F	orm WV	VC-5 K	(SA 82a-121	2		
1 LOCATIO	ON OF WATE	R WELL:	FRACTION			SECT	TION NUMBE			RANGE N	
Sedg			NE 1/4	SE 1/4	SW	1/4	3	T 28	S S	R 1	E E/W
Distance and direction from nearest town or city street address of well if located within city?											
		d Spruce		a, Kansas	(4	wells on	1 log)				
	ER WELL (CHITA CITY	OF					Board of Agric	culture. Division of	Nater Resource
RR#,ST.	RR#,ST. ADDRESS,BOX #: 455 N. Main CITY, STATE: Wichita, Kansas								201502		
					25		P CODE:		Application Num	ber: 201.	
	E WELL'S LO AN "X" IN SEC		DEPTH OF COMPL	ETED WELL:	35			ELEVATION:			
1,	N	De	epth of groundwater	Encountered:		ft.			ft.		ft.
	-		ELL'S STATIC WAT	ER LEVEL	15	FT. BELO	W LAND S	JRFACE MEASU	RED ON mo/d	ay/yr: 9/1:	5/15
' -	-NW	- NE		p test data:	Well water	er was		ft. after	hours	of pumping @	gpm
w Wije			Est. Yield:	gpm	Well water			ft. after		of pumping @	gpm
	1		Bore Hole Diameter		n.	to 3	55 ft	. and	in.	to	ft.
- -	-sw		'ELL WATER TO BE 1. Domestic 3. F		Public wat	er sunnly	7. Lawn	and garden only	9. Dewaterir		ction well
	~ X			ndustrial 6.				nditioning	10. Monitorin		pecify below)
	S		Was a chemical/bacterio				YES	NO		what mo/day/yr	was sampie
			ubmitted					Water Well Disinf	ected?	YES	NO
5 TY	PE OF CAS	ING USED:	5. Wrought I	ron 7	Fiberglass	9. 01	ther (Specif	y below) CAS	ING JOINTS: (Glued	Threaded
	1. Steel	3. RPM (S	R)		•	SDI	R-26	,		Welded	Clamped
	2. PVC	> 4. ABS	6. Asbestos-	Cement 8.	Concrete til	е 5121	K-20				
Blank cas	sing diamete	er 8	in. to 2	20 ft.,	Dia.	in.	to	ft.,	Dia. i	n. to	ft.
Casing h	eight above	land surface:	12 in.,	W	eight:	5.52 It	os. / ft.	Wall thi	ckness or gaug	e No332	}
TYPE OF SCREEN OR PERFORATION MATERIAL:											
1. Stee	el 3	. Stainless Steel	Fiberglass	7. P	vc>	9. A	BS	11. Oth	er (specify)		
2. Bra	ss 4	. Galvanized	Concrete Til	e 8. F	RMP (SR)	10. A	sbestos-Ce	ment 12. No	ne used (open	hole)	
SCREEN	OR PERFO	RATION OPENIN	GS ARE:								
									11. None (open hole)	
2. Louve	ered shutte	r 4 Kevn	ounched 6. W	ire wrapped		(8. Sa	w cut	10. Othe	r (specify)		
									. (
SCREEN	- PERFORA	TION INTERVAL	From	20 ft.	to	35	ft.,	From	ft.	to	ft.
			From	ft.	to		ft.,	From	ft.	to	ft.
G	RAVEL PA	CK INTERVALS:	From	20 ft.	to	35	ft.,	From	ft.	to	ft.
			From	ft.	to		ft.,	From	ft.	to	ft.
6 GROUT MATERIALS: 1. Neat cement 2. Cement Grout 3. Bentonite Other bentonite hole pl										lug	
_	Intervals:	From 0		20 ft.,	From	ft.	to	ft.,	From	ft. to	U
What is the nearest source of possible contamination:											
1. Septic tank 4. Lateral lines 7. Pit privy 10. Livestock pens 13. Inse							13. Insection	cide storage	15. Oil well/		
2. Sewer lines 5. Cess Pool 8. Sewage lagoon 11. Fuel storage 14. Abandon water well 16. Other (s											
3. Wate	rtight sewe	rline 6. Seepa	age pit 9.	Feed yard	1:	2. Fertilize ı	r storage			None A _l	pparent
Direction	from well?							How ma	ny feet?	· · · · · · · · · · · · · · · · · · ·	
From	То		LITHOLOGIC	LOG		From	То		LITHOLO	GIC LOG	
0	3	topsoil									
3	12	clay									
12	21	fine sand	1					-			
21	35	medium sand	1								
29	35	grey shale									
	ļ										
7 Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or 3. plugged under my jurisdiction and											
\vdash				_			constructe			under my jurisdic	uon and
was completed on (mo/day/year) 9/15/2015 and this record is true to the best of my knowledge and belief.											
Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 9/17/2015											
under the business name of Harp Well and Pump Service by (signature)											
under the business name of Harp Well and Pump Service by (signature) Todd S. Harp											