WATER WELL R		WWC-5		sion of Water					
Original Record		ge in Well Use		rces App. No.		Well ID			
1 LOCATION OF W County: SEDGWI	/ATER WELL: CK	Fraction NE'4 NE 4 NE 4	i i				ge Number ■ E □ W		
2 WELL OWNER: Last Name: BIRD First: DORENDIA Street or Rural Address where well is located (if unknown, distance and							distance and		
Business: Address: 915 E 55TH ST S direction from nearest town or intersection): If at owner's address, check here:									
Address:									
City: WICHITA 3 LOCATE WELL		ZIP: 67216		T					
WITH "X" IN	4 DEPTH OF COM Depth(s) Groundwater	ł .	5 Latitude:(decimal degrees)						
SECTION BOX:	2) ft.		Longitude:						
<u> </u>	WELL'S STATIC WATER LEVEL:								
NW NE	above land surface		☐ GPS (unit make/model:						
	Pump test data: Well	Pump test data: Well water was ft.				☐ Land Survey ☐ Topographic Map			
W	after hours pumping gpm Well water was ft.				e Mapper:				
SW SE	after hours pumping gpm				A		I I amal D TOC		
	Estimated Yield:	6 Elevation:ft. ☐ Ground Level ☐ TOC Source: ☐ Land Survey ☐ GPS ☐ Topographic Map							
mile	Bore Hole Diameter: 10.5 in. to 40 ft. and in. to ft. and in. to Other Other								
7 WELL WATER TO BE USED AS:									
1. Domestic: Household		ater Supply: well ID ng: how many wells?			eld Water Supply: le				
Lawn & Garden	7. Aquifer Recharge: well ID			☐ Cased ☐ Uncased ☐ Geotechnical					
Livestock		ng: well ID			nal: how many bores				
2. ☐ Irrigation 3. ☐ Feedlot	9. Environmental Remediation: well ID					ontal Vertical			
4. Industrial	Recovery				(specify):				
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ■ No If yes, date sample was submitted:									
Water well disinfected? ■ Yes □ No 8 TYPE OF CASING USED: □ Steel ■ PVC □ Other									
Casing diameter 5 in, to 40 ft., Diameter in, to									
Casing diameter 5 in. to 40 ft., Diameter in. to ft., Diameter in. to to SDR-26 in. Weight lbs./ft. Wall thickness or gauge No. SDR-26									
TYPE OF SCREEN OR PERFORATION MATERIAL: ☐ Steel ☐ Stainless Steel ☐ Fiberglass ■ PVC ☐ Other (Specify)									
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)									
SCREEN-PERFORATED INTERVALS: From .25 ft. to .49 ft., From ft., From ft., From ft. to ft.									
GRAVEL PACK INTERVALS: From									
9 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☐ Bentonite ☐ Other									
Nearest source of possible contamination:									
☐ Septic Tank ■ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage ☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well									
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well									
Other (Specify) Direction from well? SOUTHWEST Distance from well? 100+									
10 FROM TO	LITHOLO		FROM		THO. LOG (cont.) or		G INTERVALS		
	TOP SOIL								
	MED GRAVEL	-							
34 40	SHALE		 						
Notes:									
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged									
under my jurisdiction and was completed on (mo-day-year) .07./18/20.16 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 884 This Water Well Record was completed on (mo-day-year) .08/01/20.16									
under the business name of WENINGER DRILLING, LLC									
Mail 1 white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.									
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 7/10/2015									