County: <u>Sedawick</u> Fraction NE NW SW S	€ Sec/ T28 S R/ EW
CORRECTION(S) TO WATER WELL COME	PLETION RECORD (WWC-5)
Owner: McConnell AFB (to rectify lacking or incorrect	, ,
Location was listed as:	Location changed to:
Section-Township-Range: None Given	1-285-/E NE NW SW SE
Fraction (¼ ¼ ¼):	NE NW SW SE
Other changes: Initial statements:	
Changed to:	
Comments: Zebra Technical Service	s LLC is a division of
Cascade Drilling, KS Lic	. No, 890.
Verification method: Latitude & longitude Ka	is "LEO" conversion tool,
and mapping tool on KGS we	bsite.
11 3	initials: APL date: 12/20/2016
Submitted by: Kansas Geological Survey, Data Resources Library, 1930 Coto: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jack	onstant Ave., Lawrence, KS 660473726

WATER WELL R				sion of Water	111111111111111111111111111111111111111	IW 217
Original Record		in Well Use		irces App. N	0.	Well ID
I LOCATION OF W.		Fraction		ion Number		1 -
County: Seda	wich	4 4 4	4		T S	R DEDW
2 WELL OWNER: E	ist Name:					(if unknown, distance and
Business:	11 152	di				r's address, check here:
Address: Add						
City:	State:	ZIP:	1º1 € C	ישיון וט	( )(1)	
3 LOCATE WELL	4 DEPTH OF COM	DI ETEN MELL. 3	75 0	T	. 27129641	Q
WITH "X" IN Depth of COMPLETED WELL: 3.7.5 ft.  Depth(s) Groundwater Encountered: 1)3 ft.			5 Latitude: 37,6386419 (decimal degrees) Longitude: -697, 26937,18 (decimal degrees)			
SECTION BOX:				Horizontal Datum: WGS 84 NAD 83 NAD 27		
WELL'S STATIC WATER LEVEL:			Source for Latitude/Longitude:			
below land surface, measured on (mo-day-yr)3:1.7.1/4		GPS (unit make/model:)				
NWNE	above land surface,	measured on (mo-day-yr			(WAAS enabled? [	,
	Pump test data: Well wa				and Survey 🔲 Topogr	
W	1	pumpingg	pm	0	nline Mapper:	
SW SE		ater was ft. pumpingg	am.	<b> </b>		<del></del>
	1			6 Elevat	tion: 1377.40 f	t. Ground Level TOC
S	Bore Hole Diameter:	14 in to 39	ft. and	Source	: 🖫 Land Survey 🔲	GPS  Topographic Map
mile		in. to	ft.		☐ Other	
7 WELL WATER TO	BE USED AS:					
1. Domestic:		ter Supply: well ID				lcase
Household		g: how many wells?			lole: well ID	
Lawn & Garden		charge: well ID			sed Uncased U	
☐ Livestock  2. ☐ Irrigation		g: well ID			ermal: how many bore osed Loop \[ \] Horizon	
3. Feedlot	☐ Air Sparge					Discharge  Inj. of Water
4. Industrial	☐ Recovery	Injection		13. ☐ Ot	her (specify):	
Was a chemical/bacter	intorical sample subm		ec Fi No			ed:
Water well disinfected?		itted to itabile: [] i	cs LAM	II yes, date	sampic was submitt	Cu
		¬ □ Other	CASIN	G IOINTS	· Chied Clamps	ed [] Welded [] Threaded
Casing diameter	in to $13.5$ ft	Diameter i	n to	fl. Diam	eter in to	ed [] weided
Casing diameter in. to						
Casing height above land surface						
		TERIAL:	105./11.	wan thick	ness or gauge No	
TYPE OF SCREEN OF	PERFORATION MAT less Steel	TERIAL: glass 🔀 PVC		Oth		***************************************
TYPE OF SCREEN OF  Steel Stain Brass Galv	PERFORATION MAT nless Steel	TERIAL: glass PVC rete tile None us	ed (open hole	Oth		
TYPE OF SCREEN OF  Steel Stain Brass Galv SCREEN OR PERFOR	t PERFORATION MAT hless Steel ☐ Fiber ranized Steel ☐ Concr ATION OPENINGS AI	TERIAL: glass PVC rete tile None use RE:	ed (open hole	☐ Oth	er (Specify)	
TYPE OF SCREEN OF  Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot	C PERFORATION MAT nless Steel	FERIAL: glass  PPVC rete tile  None us RE: uuze Wrapped  Ton	ed (open hole ch Cut 🏻 D	☐ Oth ) rilled Holes	er (Specify)	
TYPE OF SCREEN OF  Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter	R PERFORATION MAT nless Steel	FERIAL: glass  PO PVC rete tile  None use RE: auze Wrapped  Saw	ed (open hole ch Cut D Cut N	Oth  Oth  rilled Holes  one (Open H	er (Specify)	
TYPE OF SCREEN OF  Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI	PERFORATION MAT nless Steel	FERIAL: glass	ed (open hole ch Cut D Cut D N ft., From	Oth	oler (Specify)	
TYPE OF SCREEN OF  Steel Stain Brass Gah SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAGE	PERFORATION MAT hless Steel  Fiber ranized Steel  Concr ATION OPENINGS AI  Mill Slot  Ga  Key Punched  W ED INTERVALS: From CK INTERVALS: From	FERIAL: glass PPVC rete tile  None us RE: uze Wrapped Saw 12.5. ft. to3.7.5	ed (open hole ch Cut D Cut N f. ft., From ft., From	rilled Holes fone (Open H	Other (Specify)	
TYPE OF SCREEN OF  Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAGE  GROUT MATERIA	PERFORATION MAT hless Steel	FERIAL: glass P PVC rete tile  None us RE: uze Wrapped Saw 12.5. ft. to3.7.5 11.5. ft. to3.9. Cement grout Ben	ch Cut D Cut D f. ft., From tonite D	orth	Other (Specify)	ft. toft.
TYPE OF SCREEN OF  Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAGE	PERFORATION MAT hless Steel	FERIAL: glass P PVC rete tile  None us RE: uze Wrapped Saw 12.5. ft. to3.7.5 11.5. ft. to3.9. Cement grout Ben	ch Cut D Cut D f. ft., From tonite D	orth	Other (Specify)	fl. tofl.
TYPE OF SCREEN OF  Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAG  9 GROUT MATERIA Grout Intervals: From Nearest source of possible Septic Tank	PERFORATION MAT  cless Steel	FERIAL: glass PVC rete tile None using RE: muze Wrapped Saw muze Wrapped S	ed (open hole ch Cut D Cut N ft., From tonite D to A. A.	orth	Other (Specify)	fl. tofl.
TYPE OF SCREEN OF  Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAG  GROUT MATERIA Grout Intervals: From Nearest source of possible Septic Tank Sewer Lines	PERFORATION MAT  cless Steel	FERIAL: glass PVC rete tile None using RE: auze Wrapped Saw a. 2.5. ft. to 3.7. cement grout Ben ft., From	ed (open hole ch Cut D Cut N ft., From tonite D to A. A. S	oth  rilled Holes fone (Open H ft. to ther ft., From Livestock Pe	Other (Specify)	fl. to fl fl. to fl ft. icide Storage doned Water Well
TYPE OF SCREEN OF  Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAG  GROUT MATERIA Grout Intervals: From Nearest source of possible Sceptic Tank Sewer Lines Watertight Sewer Line	PERFORATION MAT  cless Steel	FERIAL: glass PVC rete tile None use RE: auze Wrapped Saw a	ed (open hole ch Cut	rilled Holes fone (Open H ft. to ther ft., From Livestock Pe	Other (Specify)	fl. to fl fl ft
TYPE OF SCREEN OF  Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAG  GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Line Other (Specify)	PERFORATION MAT  cless Steel	FERIAL: glass PPVC rete tile None use RE: auze Wrapped Saw a	ed (open hole ch Cut	oth  rilled Holes fone (Open H	other (Specify)	fl. to fl fl. to fl fl. icide Storage doned Water Well 'ell/Gas Well
TYPE OF SCREEN OF  Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAG  GROUT MATERIA Grout Intervals: From Nearest source of possible Sceptic Tank Sewer Lines Watertight Sewer Line Other (Specify) Direction from well?	PERFORATION MAT  cless Steel	FERIAL: glass PVC rete tile None use RE: auze Wrapped Saw a. 1.5. ft. to 3.7. Cement grout Ben ft., From 1.0.5. ft. Sewage Lag Feedyard Distance from wel	ed (open hole ch Cut  D Cut  N ft., From tonite  0 to 1.1.5	rilled Holes one (Open H ft. to ther Livestock Pe Fuel Storage Fertilizer Sto	Other (Specify)	fl. to fl fl. to fl
TYPE OF SCREEN OF  Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAG  GROUT MATERIA Grout Intervals: From Nearest source of possible Scptic Tank Sewer Lines Watertight Sewer Line Other (Specify) Direction from well?	PERFORATION MAT  cless Steel	FERIAL: glass PVC rete tile None use RE: auze Wrapped Saw a. 1.5. ft. to 3.7. Cement grout Ben ft., From 1.0.5. ft. Sewage Lag Feedyard Distance from wel	ed (open hole ch Cut	oth  rilled Holes fone (Open H	Other (Specify)	fl. to fl fl. to fl fl. icide Storage doned Water Well 'ell/Gas Well
TYPE OF SCREEN OF  Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAG  GROUT MATERIA Grout Intervals: From Nearest source of possible Sceptic Tank Sewer Lines Watertight Sewer Line Other (Specify) Direction from well?  10 FROM TO	PERFORATION MAT  cless Steel	FERIAL: glass PPVC rete tile None use RE: auze Wrapped Saw a 2.5. ft to 3.7. cement grout Ben ft., From 1.0.5. ft Sewage Lag Feedyard Distance from well GIC LOG	ed (open hole ch Cut  D Cut  N ft., From tonite  0 to 1.1.5	rilled Holes one (Open H ft. to ther Livestock Pe Fuel Storage Fertilizer Sto	Other (Specify)	fl. to fl fl. to fl
TYPE OF SCREEN OF  Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAG  GROUT MATERIA Grout Intervals: From Nearest source of possible Sceptic Tank Sewer Lines Watertight Sewer Line Other (Specify) Direction from well?  10 FROM TO	PERFORATION MAT  cless Steel	FERIAL: glass PPVC rete tile None use RE: auze Wrapped Saw a 2.5. ft to 3.7. cement grout Ben ft., From 1.0.5. ft Sewage Lag Feedyard Distance from well GIC LOG	ed (open hole ch Cut  D Cut  N ft., From tonite  0 to 1.1.5	rilled Holes one (Open H ft. to ther Livestock Pe Fuel Storage Fertilizer Sto	Other (Specify)	fl. to fl. fl. to fl. fl. to fl. fl. fl. icide Storage doned Water Well /eli/Gas Well
TYPE OF SCREEN OF  Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAG  GROUT MATERIA Grout Intervals: From Nearest source of possible Sceptic Tank Sewer Lines Watertight Sewer Line Other (Specify) Direction from well?  10 FROM TO	PERFORATION MAT  cless Steel	FERIAL: glass PPVC rete tile None use RE: auze Wrapped Saw a 2.5. ft to 3.7. cement grout Ben ft., From 1.0.5. ft Sewage Lag Feedyard Distance from well GIC LOG	ed (open hole ch Cut  D Cut  N ft., From tonite  0 to 1.1.5	rilled Holes one (Open H ft. to ther Livestock Pe Fuel Storage Fertilizer Sto	Other (Specify)	fl. to fl. fl. to fl. fl. to fl. fl. fl. icide Storage doned Water Well /eli/Gas Well
TYPE OF SCREEN OF  Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAG  GROUT MATERIA Grout Intervals: From Nearest source of possible Sceptic Tank Sewer Lines Watertight Sewer Line Other (Specify) Direction from well?  10 FROM TO	PERFORATION MAT  cless Steel	FERIAL: glass PPVC rete tile None use RE: auze Wrapped Saw a 2.5. ft to 3.7. cement grout Ben ft., From 1.0.5. ft Sewage Lag Feedyard Distance from well GIC LOG	ed (open hole ch Cut  D Cut  N ft., From tonite  0 to 1.1.5	rilled Holes one (Open H ft. to ther Livestock Pe Fuel Storage Fertilizer Sto	Other (Specify)	fl. to fl. fl. to fl. fl. to fl. fl. fl. icide Storage doned Water Well /eli/Gas Well
TYPE OF SCREEN OF  Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAC  GRAVEL PAC  GROUT MATERIA Grout Intervals: From Nearest source of possible Sceptic Tank Sewer Lines Watertight Sewer Line Other (Specify) Direction from well?  TO FROM TO	PERFORATION MAT  cless Steel	FERIAL: glass PPVC rete tile None use RE: auze Wrapped Saw a 2.5. ft to 3.7. cement grout Ben ft., From 1.0.5. ft Sewage Lag Feedyard Distance from well GIC LOG	ed (open hole ch Cut  D Cut  N ft., From tonite  0 to 1.1.5	rilled Holes one (Open H ft. to ther Livestock Pe Fuel Storage Fertilizer Sto	Other (Specify)	fl. to fl fl. to fl
TYPE OF SCREEN OF  Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAG  GROUT MATERIA Grout Intervals: From Nearest source of possible Sceptic Tank Sewer Lines Watertight Sewer Line Other (Specify) Direction from well?  10 FROM TO	PERFORATION MAT  cless Steel	FERIAL: glass PPVC rete tile None use RE: auze Wrapped Saw a 2.5. ft to 3.7. cement grout Ben ft., From 1.0.5. ft Sewage Lag Feedyard Distance from well GIC LOG	ed (open hole ch Cut  D Cut  N ft., From tonite  0 to 1.1.5	rilled Holes one (Open H ft. to ther Livestock Pe Fuel Storage Fertilizer Sto	Other (Specify)	fl. to fl fl. to fl
TYPE OF SCREEN OF  Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAG  GROUT MATERIA Grout Intervals: From Nearest source of possible Sceptic Tank Sewer Lines Watertight Sewer Line Other (Specify) Direction from well?  10 FROM TO	PERFORATION MAT  cless Steel	FERIAL: glass PPVC rete tile None use RE: auze Wrapped Saw a 2.5. ft to 3.7. cement grout Ben ft., From 1.0.5. ft Sewage Lag Feedyard Distance from well GIC LOG	ed (open hole ch Cut	rilled Holes one (Open H ft. to ther Livestock Pe Fuel Storage Fertilizer Sto	Other (Specify)	fl. to fl fl. to fl
TYPE OF SCREEN OF  Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAG  9 GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Line Other (Specify) Direction from well?  10 FROM TO O J J J J J J J J J J J J J J J J J J	PERFORATION MAT  cless Steel	FERIAL: glass PVC rete tile None using the second s	ed (open hole ch Cut	rilled Holes fone (Open H ft. to ther ft., From Livestock Pe Fuel Storage Fertilizer Sto	other (Specify)	fl. to
TYPE OF SCREEN OF Steel Stain Galves Galves Galves Continuous Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAGE GROUT MATERIA Grout Intervals: From Nearest source of possible Sewer Lines Watertight Sewer Line Other (Specify) Direction from well? 10 FROM TO O J	PERFORATION MAT  cless Steel	FERIAL: glass PVC rete tile None using the second s	ed (open hole ch Cut	rilled Holes fone (Open H ft. to ther ft., From Livestock Pe Fuel Storage Fertilizer Sto	Other (Specify)	fl. to
TYPE OF SCREEN OF Steel Stain Screen OR PERFOR SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAGE OF GROUT MATERIA Grout Intervals: From  Nearest source of possible Scewer Lines Watertight Sewer Lines Other (Specify) Direction from well?  10 FROM TO O J J J J J J J J J J J J J J J J J	PERFORATION MAT  pless Steel	FERIAL: glass PVC rete tile None use RE: uze Wrapped Saw a 2.5. ft. to 3.7.5 ft. to 3.7.5 ft. ft. ft. 5. ft. to 3.7.5 ft. From 2.5. ft. Sewage Lag. Feedyard Distance from we GIC LOG SCERTIFICATION 10-day-year) 3-77.	ed (open hole ch Cut	rilled Holes one (Open H ft. to ther ft. to ther Storage Fertilizer Storage TO	Other (Specify)	fl. to
TYPE OF SCREEN OF Stain Steel Stain Galve Screen OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAGE OF GROUT MATERIA Grout Intervals: From Nearest source of possible Scewer Lines Watertight Sewer Lines Other (Specify) Direction from well? 10 FROM TO O Jage 1 J	PERFORATION MAT  pless Steel	FERIAL: glass PVC rete tile None use RE: uze Wrapped Ton ire Wrapped Saw in 12.5. ft. to .3.7.5 in 11.5. ft. to .3.7.5 in 11.5. ft. to .3.9. Cement grout Ben if, From 10.5. ft. Sewage Lag Feedyard Distance from we GIC LOG The Clay  SCERTIFICATION no-day-year) 3.7.7. 8.9.9. This Wat	ed (open hole ch Cut Do Cut No. ft., From tonite DO to L. to L. S.  Prom Doon DO FROM Notes: This water Cut No. ft., From Notes:	rilled Holes one (Open H ft. to ther ft. to ther Storage Fertilizer Sto  TO  To  To  To  To  This record	Other (Specify)	fl. to
TYPE OF SCREEN OF Steel Steel Stain Screen OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAGE OF GROUT MATERIA Grout Intervals: From Nearest source of possible Scene Lines Watertight Sewer Lines Other (Specify) Direction from well? 10 FROM TO O Jage 1 Ja	PERFORATION MAT  pless Steel	FERIAL: glass PVC rete tile None use RE: uze Wrapped Saw a. 2.5. ft. to . 3.7.5 ft. to . 3.7.5 ft.	ed (open hole ch Cut Do Cut No. ft., From tonite DO to L. to L. S.  PROM Notes: This water Company and well Record Simple	rilled Holes one (Open H ft. to ther ft. to ther Storage Fertilizer Sto  TO  To  To  To  To  To  To  To  To  T	Other (Specify)	fl. to
TYPE OF SCREEN OF  Steel   Stain Brass   Galve SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATI GRAVEL PAGE  GROUT MATERIA Grout Intervals: From Nearest source of possible Septic Tank Sewer Lines Watertight Sewer Line Other (Specify) Direction from well?  10 FROM TO  O J  J 39  11 CONTRACTOR'S under my jurisdiction a Kansas Water Well Counder the business nam Mail I white copy ale	PERFORATION MAT  pless Steel	FERIAL: glass PVC rete tile None use RE: uze Wrapped Saw a. 2.5. ft. to . 3.7.5 ft. to . 3.7.5 ft.	ed (open hole ch Cut Do Cut No. ft., From tonite DO to L. to L. S.  PROM Notes: This wate:  """ """ """ """ """ """ """ """ "" ""	r well was by this record was corgnature	Other (Specify)	fl. to