	WATER V	VELL RE	ECORI	D F	orm V	VWC-5	KSA 82a-	1212		
1 LOCATION OF WATER WELL:	FRACTION				s	ECTION NU	MBER TOWN	SHIP NUMBER	RANG	E NUMBER
Sedgwick	SE 1/4	4 SE	1/4	NE	1/4	18	Т	28 s	R	1E E/W
Distance and direction from nearest town or city st	reet address of w	ell if located v	within city?							
4100 S. Seneca Wic	hita, Kans	as			(2)	plugs on	1 permit)			
2 WATER WELL OWNER: IRON	HORSE N	IFG PAI	RK							
RR#,ST. ADDRESS,BOX #: 4100 S	S. Seneca							Board of A	-	of Water Resource
CITY, STATE: Wichi	ta, Kansas					ZIP CODE	E:	Application N	lumber: 2	0160219
3 LOCATE WELL'S LOCATION 4 DE	EPTH OF PON	gg€ 8 ∨	VELL:	35	;	ft.	ELEVATIO	N:		
WITH AN "X" IN SECTION BOX: Depti	h of groundwat	er Encounte	ered:			ft.		ft.		ft.
	L'S STATIC W	ATER LEV	EL	10	FT. BE	LOW LAND	D SURFACE ME	ASURED ON m	o/day/yr: 2	/21/17
NV NE	Р	ump test da	ata: \	Nell wate			ft. after		urs of pumping (
1 1 1	Est. Yield:	gpm	١	Well wat	er was		ft. after		urs of pumping (0,
	e Hole Diamet				to	35	fi and	in.	to	
├	L WATER	SE USED /	AS:					9. Dewate	ering 11.	Injection well
SW SE 1	Domestic	3. Feedlot	5. Pu	blic wat	er supp	ly 7. Lav	wn and garden	only		r (Specify below)
		4. Industria					conditioning	10. Monito	•	
	s a chemi c al/bac nitte d	teriological sa	mple subm	nitted to D	epartmen		S NO /as Water Well D		s, what mo/day/	yr was sample NO
5 TYPE OF CASING USED:	inticu									***
1. Steel 3. RPM (SR)	5. Wroug	ht Iron	7. Fib	erglass	9	. Other (Sp	ecify below)	CASING JOINTS		Threaded
2. PVC 4. ABS	6. Asbest	os-Cement	8. Coi	ncrete til	e				Welded	Clamped
Blank casing diameter 8 in	ı. to	ft.	г	Dia.	in.	. to	ft.,	Dia.	in. to	ft.
Casing height beautiand surface:	20	•••			""					ιι.
			Weig	ght:		lbs. / ft.	Wa	III thickness or ga	iuge No.	
TYPE OF SCREEN OR PERFORATION N 1 Steel 3. Stainless Steel	JATERIAL: 5. Fiberglas	c	7. PVC	:	Q	. ABS	11	Other (specify)	N/A	
2. Brass 4. Galvanized	6. Concrete		8. RMF). Asbestos		. None used (ope		
		THE	O. INVII	(311)	10	. Asuesius	-Cement 12	. None used (ope	in noie)	
SCREEN OR PERFORATION OPENINGS					_					
1. Continuous slot 3. Mill slot	5	. Gauzed w	rapped		7.	Torch cut	9. [Orilled holes	11. Non	e (open hole)
2. Louvered shutter 4. Key pun	ched 6	. Wire wrap	ped		8.	Saw cut	10. 6	Other (specify)	N/A	
SCREEN - PERFORATION INTERVAL	From		ft.	to		ft.,	From	ft.	to	ft.
	From		ft.	to		ft.,	From	ft.	to	ft.
GRAVEL PACK INTERVALS.	From		ft.	to		ft.,	From	ft.		
			ft.						to	ft.
	From		11.	to		ft.,	From	ft.	to	ft.
GROUT MATERIALS: 1. Neat ce			nent Gro			3. Bento	nite	Other bei	ntonite hole	plug
Grout Intervals: From)	ft.,	From		ft.	to ft.,	From	ft.	to ft.
What is the nearest source of possible contact 1. Septic tank 4. Lateral li		7. Pit privy	,	10). Lives	tock pens	13. ins	ecticide storage	15. Oil w	ell/Gas well
•		8. Sewage	lagoon	1	1. Fuel s	storage	14 Ab:	andon water we	II 16. Other	(specify below)
2. Sewer miles 0. 9003 1 001						izer storage		andon water we	"	Apparent
Watertight sewer line 6. Seepage Direction from well?	e pit	o. reeu yai	u	''	2. F 61 (III	izer storage		many feet?		
	THOLOG	IC L OG	****		Fron	n To			OGIC LOG	-
710111 10	ITTOLOG	IO LOO			0	3	compress		OGIC LOG	
					3	23		hole plug		
					23	35		ed gravel		
								LII GI MILLI		7.
							_			
						_				
			100.00							
								3994		
								W		
7 Contractor's or Landowner's Certifica	tion: This water	r well was 1	1 cons	tructed	2	reconstru	cted or 3,0	plugged	under my juris	diction and
was completed on (mo/day/year)	2/21/2017						my knowledge a		and of the julis	and and

Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year)

under the business name of Harp Well and Pump Service

by (signature)

y/year) 2/24/2017 Todd S. Harp