WATER WELL RECORD Form WWC-5 Division of Water								
	Original Record Correction Change in Well Use		Resources App. No.			Well ID		
1 LOCATION OF WATER WELL: Fraction County: Sedgwick NW4NE4		NWWNEW NWW	Section Number 35		Township Number	er Range Number R BE E □ W		
2 WELL OWNER Last Name: First: Street or Rural Address where well is located (if unknown, distance and								
Business: R+N Holdings direction from nearest town or intersection): If at owner's address, check here:								
Address:								
Address:	' C 71D.	• • • • •						
State: WS ZIP:			Wichita, KS 67037					
WITH "X" IN	WIN 4 DEPTH OF COMPLETED WELL;			ft. 5 Latitude:(decimal degrees)				
SECTION BOX:	Depth(s) Groundwate	ft.						
N	2)			110120000000000000000000000000000000000				
XIII				Source for Latitude/Longitude: GPS (unit make/model:)				
NW NE	\ \ \ above land surface, measured on (mo-day-			(WAAS enabled? ☐ Yes ☐ No)				
	Pump test data; Well water was ft.			☐ Land Survey ☐ Topographic Map				
W	afterhou	gpm	Online Mapper:					
SW SE	Well after hou							
	Estimated Yield:		6 Elevation:ft. Ground Level TOC					
S	Bore Hole Diameter:	ft. and	Source: Land Survey GPS Topographic Map					
1 mile	in. to ft.							
7 WELL WATER TO BE USED AS:								
1. Domestic:		/ater Supply: well ID				ase		
Household								
Lawn & Garden					☐ Cased ☐ Uncased ☐ Geotechnical 12. Geothermal: how many bores?			
2. Trrigation					a) Closed Loop Horizontal Vertical			
3. ☐ Feedlot ☐ Air Sparge ☐ Soil Vapor E				b) Open Loop Surface Discharge Inj. of Water				
4. Industrial	☐ Recover	y Injection		13. 🔲 Othe	r (specify):			
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:								
Water well disinfected? Wes No								
8 TYPE OF CASING USED: Steel PVC Other								
Casing diameter								
Casing height above land surface								
☐ Steel ☐ Stainless Steel ☐ Fiberglass ■ PVC ☐ Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous Slot								
Louvered Shutter								
SCREEN-PERFORATED INTERVALS: From 20. ft. to 70. ft., From ft. to ft., From ft., From ft. to ft.								
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From								
Nearest source of possible contamination:								
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage								
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well								
Direction from well? Distance from well?								
10 FROM TO	LITHOL	OGIC LOG	FROM	TO L	ITHO. LOG (cont.) or	PLUGGING INTERVALS		
0 1	70D S	0.1						
1 6	Clay							
6 19	<u>m.p'</u>	Scavel	<u> </u>					
19 40	5ha	le						
		<u> </u>	- 					
		•••	Notes:					
Truces.								
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION. This water well was constructed, reconstructed, or plugged								
under my jurisdiction and was completed on (mo-day-year)								
under my jurisdiction and was completed on (mo-day-year)								
Mail I white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section,								
1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.								
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 7/10/2015								