

WATER WELL R		WWC-5 1368 ge in Well Use	D	Division of Wate		Well ID	
Original Record Correction Change I LOCATION OF WATER WELL:				ection Numbe	11		
County:		1/4 1/4 1/4	1⁄4		T S	$R \square E \square W$	
2 WELL OWNER: La Business:	First:			where well is located (if intersection): If at owner's a			
Address: Address:							
City: State: ZIP:							
3 LOCATE WELL	4 DEPTH OF CON	APLETED WELL:		ft. 5 Latitude :(decimal degrees)			
WITH "X" IN SECTION BOX:			ft.	ft. Longitude:(decimal degrees)			
N	3) ft., or 4) □ Dry Well TER LEVEL: ft.		Datum	Datum: 🗌 WGS 84 🔲 NAD 83 🗌 NAD 27			
X	below land surface, measured on (mo-day-yr)				(WAAS enabled? [] Yes [] No)		
NW NE	above land surface, measured on (mo-day-yr)						
	Pump test data: Well water was ft. after hours pumping gpm				☐ Land Survey ☐ Topographic Map ☐ Online Mapper:		
W E	vater was ft.						
SW SE	s pumping	pumping gpm		levetion:			
S Estimated Yield:		gpm in. to ft. and			6 Elevation:ft. □ Ground Level □ TOC Source: □ Land Survey □ GPS □ Topographic Map		
S	in. to ft.		Boule				
7 WELL WATER TO BE USED AS:							
1. Domestic: 5. Public Water Supply: well ID 							
□ Household 6. □ Dewatering: how many wells? □ Lawn & Garden 7. □ Aquifer Recharge: well ID							
	7. 🗌 Aquifer Recharge: well ID 8. 🗌 Monitoring: well ID				Cased Uncased Geotechnical 12. Geothermal: how many bores?		
2. Irrigation					a) Closed Loop \Box Horizontal \Box Vertical		
3. EFeedlot Soil Vapor			Extraction				
4. Industrial Recovery Injection 13. Other (specify):							
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☐ No If yes, date sample was submitted:							
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded							
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.							
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
Steel Steinless Steel Fiberglass PVC Other (Specify) Brass Galvanized Steel Concrete tile None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify)							
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)							
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft. or ft. to ft. ft. to ft. ft. to ft. ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft.							
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other							
Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft.							
Nearest source of possible contamination:							
Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well							
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well							
☐ Other (Specify) Direction from well? ft.							
Direction from well?10 FROMTO	LITHOLO		FROM		ft. LITHO. LOG (cont.) or PL	LICCINC INTEDVALS	
	LIIHOLO	GIC LOG	FKOM	10	LITHO. LOG (Collit.) of PL	JUGGIING INTERVALS	
				-			
				+			
			Notes:				
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged							
under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No							
under the business name	e of						
	Send one copy to WATER W	ELL OWNER and retain	one for your re	ecords. Fee of \$5	.00 for each <u>constructed</u> well.		
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212							