		WATER WI	ELL RECORI	D Foi	rm WW	C-5 K	SA 82a-121	2			
1 LOCATION OF WAT	ER WELL:	FRACTION			SECT	ON NUMBER	TOWNSHIP		RANGE N	UMBER	
Sedgwick		SW 1/4	SW 1/4	SE 1	/4	19	т 28	S	r 1 e	E E/W	
Distance and direction from nearest town or city street address of well if located within city?											
NW corner of Glenn & 31st So. Wichita, Kansas (2 constructs on one permit)											
2 WATER WELL	OWNER: W	ICHITA, CITY	OF								
	RR#,ST. ADDRESS,BOX #: 455 N. Main						Board of Agriculture, Division of Water Resource				
CITY	CITY, STATE: Wichita, Kansas						Application Number: 20170198				
3 LOCATE WELL'S		1 DEPTH OF COMP		40	ft.		ELEVATION:				
WITH AN "X" IN S	ECTION BOX:	Depth of groundwater			ft.			ft.		ft.	
		· •		15 F					2/25		
		WELL'S STATIC WA				V LAND SU	RFACE MEASU				
NW N	· · · · NE- · · -		•	Well water			ft. after		of pumping @	gpm	
N N		Est. Yield:	1.0	Well water		0	ft. after		of pumping @	gpm	
2	E	Bore Hole Diameter			to 4	0 ft.	and	in.	to	ft.	
sw	SE	WELL WATER TO B		ublic water	sunniv	7. Lawn ai	nd garden only	9. Dewaterin	· .	ction well	
	12. Other (Spechy below)										
	2. Irrigation 4. Industrial 6. Oil field water supply 8. Air conditioning 10. Monitoring well S Was a chemical/bacteriological sample submitted to Department? YES NO ; If yes, what mo/day/yr was sample										
		submitted	loogical sample suor				ater Well Disinfe		\sim	NO	
5 TYPE OF CA	SING USED:				0.01	ner (Specify		NG JOINTS:	Glued	Threaded	
1. Steel	3. RPM	(SR) 5. Wrought	Iron 7. Fib	perglass				NG JOINTS.	Welded	Clamped	
2. PVC	> 4. ABS	6. Asbestos	-Cement 8. Co	ncrete tile	SDF	R-26			Weided	Clamped	
Blank casing diame	eter 8	in. to	20 ft., I	Dia.	in.	to	ft., [Dia, i	n, to	ft.	
U U				-							
Casing height above land surface: 12 in., Weight: 2.35 lbs. / ft. Wall thickness or gauge No214											
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless Steel 5 Fiberolass 7. PVC 9. ABS 11. Other (specify)											
2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
1. Continuous slot 3. Mill slot 5. Gauzed wrapped						7. Torch cut 9. Drilled holes 11. None (open hole)					
2. Louvered shut	ter 4. Key	y punched 6. V	Nire wrapped		8. Sav	w cut	10. Othe	r (specify)			
SCREEN - PERFOI		L From	20 ft.	to	27	ft.,	From				
SCREEN - FERFOI	ATION INTERVA				21			ft.	to	ft.	
		From	ft.	to	10	ft.,	From	ft.	to	ft.	
GRAVEL F	ACK INTERVALS	: From	20 ft.	to	40	ft.,	From	ft.	to	ft.	
		From	ft.	to		ft.,	From	ft.	to	ft.	
6 GROUT MATERIALS: 1. Neat cement 2. Cement Grout 3. Bentonite								Other bent	onite hole pl	ug	
What is the nearest source of possible contamination:									-		
1. Septic tank 4. Lateral lines 7. Pit privy 10. Livestock pens 13. Insecticide storage 15. Oil well/Gas well											
2. Sewer lines 5. Cess Pool 8. Sewage lagoon 11. Fuel storage 14. Abandon water well 16. Other (specify below)											
3. Watertight sev	ver line) 6. See	epage pit 9	Feed yard	12.	Fertilizer	storage					
Direction from well? North How many feet? 10							ny feet? 10 f	t. plus			
From To	- T	LITHOLOGIC	CLOG		From	То		LITHOLO	GICLOG		
0 1	concrete										
1 14	clay										
14 21	fine sand										
21 40	medium sa	nd									
						├				······	
			- <u></u>			┝────┨					
├├				 		├					
		· · · ·					•				
					<u> </u>		or 0	Jugged	undor multiveter ^{an}	tion and	
7 Contractor's o	r Landowner's Ce	rtification: This water	well was 1. con	structed	2. ree	constructed	or 3. I	olugged	under my jurisdic	uon and	
was completed of	n (mo/day/year)	2/27/18	and this	s record is	true to the	best of my l	knowledge and b	elief.			
Kansas Water W	ell Contractor's Lic	cense No. 236	This	water well	record wa	s completed	on (mo/day/yea	r) 3 /1	/18		
under the business name of Harp Well and Pump Service by (signature) Todd S. Hourb											
		P wen and Ful	np service		59 (01)	,		JUN	$\pi M D$	J	