	LOCATION OF WATER WELL:	Fraction	1/	Section 1/4	Number	Township Number	
	County: Street/Rural Address of Well Location;	if unknown distance		Global Po	ositioning S	T S Systems (GPS) inform	BE T
	direction from nearest town or intersect			Latitude:			(in decimal degre
	check here			Longitude Elevation	:		
				Datum:	. WG	S84, NAD83,	, NAD27
				Collection	n Method:		
2	WATER WELL OWNER:			\Box \Box \Box \Box \Box \Box	S unit (Mak	re/Model:	
	RR#, St. Address, Box #:					oto, Topographic M	
	City, State ZIP Code:	T		Est. Accura	<u>асу</u> : Ц <	3 m, 3-5 m, 1	5-15 m, $\square > 15 \text{ m}$
	MARK WELL'S LOCATION	4 DEPTH OF	WELL _		ft.		
	WITH AN "X" IN SECTION BOX:	WELL'S STATIC WATER LEVELft					
	N	WELL WAS				1	
			_	_			
	NW NE	Domestic Irrigation			Vater Suppl 1 Water Sup		
	E	Feedlot					tion Well
	SW SE	☐ Industria	1 L	☐ Air Con	ditioning		•
		Was a chemi	cal/bacter	riological san	nnle submit	ted to Denartment? Y	∕es □ No □
	S	Was a chemical/bacteriological sample submitted to Department? Yes No					
	Blank casing diameter in. Casing height above or below land	Was casing pulle surface	ed? Yes [If yes, ho		
6	Blank casing diameter in. Casing height above or below land	Asbestos-Cemen Was casing pulle surface Neat cement ft. to f	ed? Yes [in.	Concrete Tile No nent grout	If yes, ho	w much	
6	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib Septic tank S	Asbestos-Cemen Was casing pulle surface	ed? Yes [inCen. CenTro	No No nent grout	If yes, ho Benton	w much	
6	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib Septic tank	Asbestos-Cemen Was casing pulle surface	ed? Yes [in	No No nent grout storage lizer storage ticide storage	If yes, ho Benton	w much	
6	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib Septic tank S Sewer lines P Watertight sewer lines S Lateral lines F	Asbestos-Cemen Was casing pulle surface Neat cement ft. tof sle contamination: eepage pit it privy ewage lagoon eedyard	ed? Yes control of the control of th	No No nent grout storage lizer storage ticide storage doned water	If yes, ho Benton t. to	w much inte	ft. to ft.
6	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib Septic tank S Sewer lines P Watertight sewer lines S Lateral lines F	Asbestos-Cemen Was casing pulle surface	ed? Yes control of the control of th	No No nent grout storage lizer storage ticide storage	If yes, ho Benton t. to	w much iite	ft. to ft.
6	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib Septic tank	Asbestos-Cemen Was casing pulle surface Neat cement ft. tof sle contamination: eepage pit it privy ewage lagoon eedyard	ed? Yes contact in. Cem The contact in the contac	No No nent grout storage lizer storage ticide storage doned water	If yes, ho Benton t. to	w much ite Other _ft., From Other (specify below) ection from well? w many feet?	ft. to ft.
6	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib Septic tank	Asbestos-Cemen Was casing pulle surface Neat cement ft. to ft. to ft. to ft. to ft. to ft. to generated fit privy ewage lagoon eedyard ivestock pens	ed? Yes contact in. Cem The contact in the contac	No N	If yes, ho Benton t. to well Dir Ho	w much ite Other _ft., From Other (specify below) ection from well? w many feet?	ft. to ft.
6	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib Septic tank	Asbestos-Cemen Was casing pulle surface Neat cement ft. to ft. to ft. to ft. to ft. to ft. to generated fit privy ewage lagoon eedyard ivestock pens	ed? Yes contact in. Cem The contact in the contac	No N	If yes, ho Benton t. to well Dir Ho	w much ite Other _ft., From Other (specify below) ection from well? w many feet?	ft. to ft.
6	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib Septic tank	Asbestos-Cemen Was casing pulle surface Neat cement ft. to ft. to ft. to ft. to ft. to ft. to generated fit privy ewage lagoon eedyard ivestock pens	ed? Yes contact in. Cem The contact in the contac	No N	If yes, ho Benton t. to well Dir Ho	w much ite Other _ft., From Other (specify below) ection from well? w many feet?	ft. to ft.
6	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib Septic tank	Asbestos-Cemen Was casing pulle surface Neat cement ft. to ft. to ft. to ft. to ft. to ft. to generated fit privy ewage lagoon eedyard ivestock pens	ed? Yes contact in. Cem The contact in the contac	No N	If yes, ho Benton t. to well Dir Ho	w much ite Other _ft., From Other (specify below) ection from well? w many feet?	ft. to ft.
6	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib Septic tank	Asbestos-Cemen Was casing pulle surface Neat cement ft. to ft. to ft. to ft. to ft. to ft. to generated fit privy ewage lagoon eedyard ivestock pens	ed? Yes contact in. Cem The contact in the contac	No N	If yes, ho Benton t. to well Dir Ho	w much ite Other _ft., From Other (specify below) ection from well? w many feet?	ft. to ft.
6	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib Septic tank	Asbestos-Cemen Was casing pulle surface Neat cement ft. to ft. to ft. to ft. to ft. to ft. to generated fit privy ewage lagoon eedyard ivestock pens	ed? Yes contact in. Cem The contact in the contac	No N	If yes, ho Benton t. to well Dir Ho	w much ite Other _ft., From Other (specify below) ection from well? w many feet?	ft. to ft.
	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib Septic tank	Asbestos-Cemen Was casing pulle surface Neat cement ft. to from the contamination: eepage pit it privy ewage lagoon eedyard ivestock pens GGING MATERIA	ed? Yes [inCem Cem From Frestill Insect Aband Oil was ALS ALS ALS	No N	If yes, ho Benton t. to well TO	w much ite	ft. to ft.
7 com	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib Septic tank	Asbestos-Cemen Was casing pulle surface Neat cement ft. to f le contamination: eepage pit it privy ewage lagoon eedyard ivestock pens GGING MATERIA VNER'S CERTIL all	ed? Yes [in. Cent., Fro Fuel: Fertil Insec. Abanc. Oil w.	No N	If yes, ho Benton t. to well Dir Ho TO	w much	ft. to ft. MATERIALS my jurisdiction and d belief. Kansas W
7 com Wel	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib Septic tank	Asbestos-Cemen Was casing pulle surface Neat cement ft. tof le contamination: eepage pit it privy ewage lagoon eedyard ivestock pens WNER'S CERTIL an This Wa	ed? Yes [in. Cent., Fro Fuel: Fertil Insec. Abanc. Oil w	No N	If yes, ho Benton It. to Well Dir Ho TO To Tater well very to the best completed of	w much ite Other _ft., From Other (specify below) ection from well? w many feet? PLUGGING was plugged under n of my knowledge and on (mo/day/year)	ft. to ft. MATERIALS ny jurisdiction and d belief. Kansas W under

KSA82a-1212

Revised 1/29/2014