,	WATER WE	ELL RECC	RD F	orm W\	NC-5 K	SA 82a-1	212		
	FRACTION				SHIP NUMBER RANGE NUMBER				
Sedgwick	<b>SE</b> 1/4	NW 1/4	NW	1/4	5	Т	28 s	R	1E E/W
Distance and direction from nearest town or city stro	eet address of well i	f located within o	city?						
	Wichita, Kan	ısas							
	LTE, Daniel						Board of Ag	riculture, Division o	of Water Resource
	. Denene a, Kansas			_	IP CODE: 6	7215	_		
	<del>-                                    </del>		11	_	IP CODE: 0		Application Nu	mber:	
── WITH AN "X" IN SECTION BOX:	PTH OF COMPL		111			ELEVATION			
	of groundwater I			f	t.		ft.		ft.
	L'S STATIC WAT		27		OW LAND SU	IRFACE MEA	SURED ON mo/	day/yr: <b>6</b> /	13/18
1 XNW NE NE		p test data:	Well wate			ft. after		s of pumping @	gpm
	Est. Yield: Hole Diameter	gpm 12 i	Well wat in.	er was to	<b>116</b> ft.	ft. after		s of pumping @	gpm
	WATER TO BE	'	III.	10	110 II.	and	in.	to 11 <b>In</b>	ft. jection well
			Public wat	er supply	7. Lawn a	nd garden or	9. Dewater	9	(Specify below)
2. Ir	rigation 4. lı	ndustrial 6.	Oil field wa	ater suppl	y 8. Air con	ditioning	10. Monitori	ng well	
	a chemical/bacterio	ological sample s	ubmitted to D	epartment?	YES	NO		what mo/day/yr	
Subm	itted				Was W	Vater Well Dis	infected?	YES	NO
TYPE OF CASING USED:  1. Steel 3. RPM (SR)	<ol><li>Wrought Ir</li></ol>	on 7.	Fiberglass	9. C	ther (Specify	below) CA	ASING JOINTS:		Threaded
2. PVC 4. ABS	6. Asbestos-	Cement 8.	Concrete tile	e SD	R-26			Welded	Clamped
Blank casing diameter 5 in.	to <b>9</b>	5 ft.,	Dia.	in.	to	ft.,	Dia.	in. to	ft.
Casing height above land surface:	12 in	-							
TYPE OF SCREEN OR PERFORATION M	,	V	/eight:	2.35	bs. / ft.	Wall	thickness or gau	ge No21	4
1. Steel 3. Stainless Steel	5. Fiberglass	7. P	PVC	9. A	ABS	11. (	Other (specify)		
2. Brass 4. Galvanized	6. Concrete Tile	8. F	RMP (SR)	10. A	Asbestos-Cen		None used (open	hole)	
SCREEN OR PERFORATION OPENINGS	ARE.						( )	,	
1. Continuous slot 3. Mill slot		uzed wrappe	d	7. To	rch cut	9. <b>Dr</b>	illed holes	11. None	( open hole)
2. Louvered shutter 4. Key pund		ire wrapped	-		w cut				( <b>- pe</b> ( 1515)
	eu 0. •••				IW Cut	10. 00	her (specify)		
SCREEN - PERFORATION INTERVAL	From	95 ft.	to	116	ft.,	From	ft.	to	ft.
	From	ft.	to		ft.,	From	ft.	to	ft.
GRAVEL PACK INTERVALS:	From	<b>24</b> ft.	to	116	ft.,	From	ft.	to	ft.
	From	ft.	to		ft.,	From	ft.	to	ft.
6 GROUT MATERIALS: 1. Neat cen	nent	2. Cement G	irout		3. Bentonite		Other bent	onite hole p	lug
	ft. to	24 ft.,	From	ft.	to	ft.,	From	ft. t	
What is the nearest source of possible conta 1. Septic tank 4. Lateral lin	7 5	Pit privy	10	). Livestoc	k pens	13 Incor	ticide storage	15. Oil well	/Gas well
•		Sewage lagoo		1. Fuel sto	•		•		specify below)
2. Sewer lines 5. Cess Poo	•				_	14. <b>Aban</b>	don water well	io. Other (s	specify below;
3. Watertight sewer line 6. Seepage Direction from well? West	pit 9. F	eed yard	12	2. Fertilize	r storage	Usus	( <b>50</b> 4	F41	
	THOLOGIC	LOG	T	From	То	now n	nany feet? 50 f	GIC LOG	
0 3 topsoil	ozoolo			1 10111	10		LITHOLC	IGIC LOG	
3 35 clay									
35 46 fine sand									
46 90 clay									
90 105 medium sand									
105   116   clay							~~~		
	****								
	News .								
								<del> </del>	
7					L				
Contractor's or Landowner's Certification	on: This water we	ell was 1 C co	nstructed	) 2 red	constructed	or 3	plugged	under my jurisdie	ction and

6/13/18 was completed on (mo/day/year) and this record is true to the best of my knowledge and belief. 6/15/18

Kansas Water Well Contractor's License No. 236

This water well record was completed on (mo/day/year) under the business name of Harp Well and Pump Service by (signature)

Todd S. Harp