KOLAR Document ID: 1426345

	WELL R			WWC-5		vision of Wat						
		Correction		e in Well Use		ources App.			Well ID			
			Fraction $\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$		Section Number Township Nu			er Ran R	ge Number			
e o unity i						$\begin{array}{c c c c c c c c c c c c c c c c c c c $						
							irection from nearest town or intersection): If at owner's address, check here:					
Address:	Address:											
Address: City:			State:	ZIP:								
3 LOCAT	FWFII											
WITH "		ft										
	ON BOX:	Encountered: 1) 3) ft., or 4)		Longitude:								
1	Ν	Dry_wen	Datum: WGS 84 NAD 83 NAD 27 Source for Latitude/Longitude:									
	below land surface, measured on (mo-day-yr						GPS (unit make/model:)					
NW	- NW - NE - NE - above land surface,						(WAAS enabled? ☐ Yes ☐ No)					
				vater was f		□ Land Survey □ Topographic Map						
W				s pumping f vater was f		□ Online Mapper:						
SW				s pumping								
	Estimated Yield:			gpm		6 Elevation:ft. Ground Level TOC						
1.	S Bore Hole Diameter:							Source: Land Survey GPS Topographic Map Other				
1 mile												
1. Domestic: 5. Dublic Water Supply: well ID 10. Oil Field Water Supply: lease												
House			11. Test Hole: well ID									
	Lawn & Garden 7. Aquifer Recharge: well ID						Cased Uncased Geotechnical					
	Livestock 8. Monitoring: well ID							al: how many bores				
2. ☐ Irrigati 3. ☐ Feedlo	2. Irrigation 9. Environmental Remediation: well ID . 3. Feedlot Air Sparge Soil Vapor Ex						a) Closed Loop					
4. Industrial Recovery Injection							13. Other (specify):					
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:												
Water well disinfected? \square Yes \square No												
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded												
Casing diameter in. to ft., Diameter in. to ft., Diameter ft.												
Casing height above land surface												
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Fiberglass PVC Other (Specify)												
□ Brass □ Galvanized Steel □ Concrete tile □ None used (open hole)												
SCREEN OR PERFORATION OPENINGS ARE:												
Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)												
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)												
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft. to ft. to ft.												
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft. o ft. o ft. o ft. to ft. ft. to ft. ft. to ft. ft. to ft. ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft.												
Grout Intervals: From ft. to ft., From ft. to ft. rom ft. to ft.												
	rce of possible		on: No	potential source of con	tamination wi	thin 200 ft.						
□ Septic			Lateral Line			Livestock P			cide Storage			
Sewer	Lines ight Sewer Lin		Cess Pool Seepage Pit	☐ Sewage La ☐ Feedyard		Fuel Storage Fertilizer St			oned Water ` ll/Gas Well	Well		
						Fertilizer St	orage		n/Gas wen			
Direction from well? ft.												
10 FROM	ТО	Ι	ITHOLOG	GIC LOG	FROM	TO	LIT	HO. LOG (cont.) or	PLUGGIN	G INTERVALS		
	├											
	<u>├</u>											
					Notes:	•						
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged												
				S CERTIFICATION								
Kansas Wa	ter Well Con	tractor's Lice	ense No		ater Well Red	cord was co	mple	ted on (mo-day-ve	ear)	₂ , and benef.		
	usiness name	of										
KS Departs				ELL OWNER and retain of Vater Geology Section 10						785-296-3565		
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212												