KOLAR Document ID: 1458280

WATER WELL RECORD ☐ Original Record ☐ Correction ☐ Change in Well Use						Division of Water Resources App. No] Well ID		
1 LOCATION OF WATER WELL:			Fraction			ion Number			ige Number		
County:				1/4 1/4			T S	R	$\Box E \Box W$		
2 WELL OWNER: Last Name: First:						Street or Rural Address where well is located (if unknown, distance and					
Business:						lirection from nearest town or intersection): If at owner's address, check here:					
Address:	Address: Address:										
City:			State:	ZIP:							
3 LOCAT				IPLETED WELL: ft.			5 I atitu	da.		(1 1. 1)	
	Donth(s) Groundwater							de:			
					ft., or 4) \(\square\) Dry Well			Longitude:			
1	·		WELL'S STATIC WATER LEVEL:					for Latitude/Longitude		1110 27	
	_Y			, measured on (mo-da				S (unit make/model:)	
NW	NE	above land surface, measured on (mo-day-yr				•••••		(WAAS enabled? □		(o)	
		Pump test data: Well water wasft. afterhours pumpinggr						☐ Land Survey ☐ Topographic Map ☐ Online Mapper:			
W	Е	Well water was ft.						inne Mapper:			
SW	SE	after hours pumpinggp					(El4	•			
		Estimated Yield:gpm					6 Elevation:ft. ☐ Ground Level ☐ TOC Source: ☐ Land Survey ☐ GPS ☐ Topographic Map				
1	S	Bore Hole Diameter: in. to									
1 mile in. to ft. Uother											
1. Domestic: 5. □ Public Water Supply: well ID											
	☐ Household 6. ☐ Dewatering: how many wells?						11. Test Hole: well ID				
_	☐ Lawn & Garden 7. ☐ Aquifer F			echarge: well ID			☐ Cased ☐ Uncased ☐ Geotechnical				
_				g: well ID				12. Geothermal: how many bores?			
				al Remediation: well		a) Closed Loop ☐ Horizontal ☐ Vertical b) Open Loop ☐ Surface Discharge ☐ Inj. of Water					
3. ☐ Feedlot ☐ Air Sparg 4. ☐ Industrial ☐ Recovery			☐ Soil Vapor Extraction☐ Injection			13. Other (specify):					
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☐ No If yes, date sample was submitted:											
Water well disinfected? Yes No											
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded											
Casing diameter in. to ft., Diameter in. to ft., Diameter ft.											
Casing height above land surface											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)											
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:											
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)											
_		Key Puncl					one (Open Ho				
	SCREEN-PERFORATED INTERVALS: From										
GRAVEL PACK INTERVALS: From											
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other											
Noorest sou	als: From	It. to	on. No	potential source of co	II. to	on with	ft., From .	It. to	It.		
Septic			Lateral Line				Livestock Pen	s	cide Storage		
☐ Sewer I			Cess Pool				Fuel Storage		oned Water		
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well											
☐ Other (Specify)											
10 FROM	TO TO		ITHOLO(FRC			tt LITHO. LOG (cont.) o		GINTERVALS	
10 TROM	10	1	MINOLOG	SIC LOG	TIC	/1V1	10	LITTIO. LOG (cont.) o.	LUGGIN	JINILKVALS	
					TAT 4					_	
					Note	s:					
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged											
under my ju	irisdiction an	d was compl	leted on (m	no-day-year)		and t	his record is	true to the best of m pleted on (mo-day-y	y knowled	ge and belief.	
Kansas Wa	ter Well Con	tractor's Lice	ense No	This V	Vater Wel	I Reco	ord was com	pleted on (mo-day-y	ear)		
under the b	usiness name	Send one convite	WATER W	ELL OWNER and retai	n one for vo	ur recoi	rds Fee of \$5	00 for each constructed we	ell		
KS Departn	nent of Health ar	nd Environment	, Bureau of V	Vater, Geology Section,	1000 SW Ja	ckson S	St., Suite 420, T	Copeka, Kansas 66612-130	57. Telephone	785-296-3565.	
Visit us at h	KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212										

